



D E C L A R A T I O N

In the matter of U.S. Patent
Application Ser. No. 10/070,387
in the name of Naoki MIDOH, et al.

I, Kyoko IMAMURA, of Kyowa Patent and Law Office, 2-3,
Marunouchi 3-Chome, Chiyoda-Ku, Tokyo-To, Japan, declare
and say:

that I am thoroughly conversant with both the Japanese
and English languages; and,

that the attached document represents a true English
translation of Japanese Patent Application No. 2000-104291
filed on April 6, 2000.

I further declare that all statements made herein of
my own knowledge are true and that all statements made on
information and belief are believed to be true; and further
that these statements were made with the knowledge that
willful false statements and the like so made are punishable
by fine or imprisonment, or both, under Section 1001 of Title
18 of the United States Code, and that such willful false
statements may jeopardize the validity of the application
or any patent issued thereon.

Dated: June 10, 2004

Kyoko Imamura

Kyoko IMAMURA



2000-104291

Name of Document: Patent Application

Reference Number: PM1577

Application Date: April 6, 2000

To: The Commissioner of The Patent Office

International Patent Classification: C12N

Inventor:

Address: c/o Pharmaceutical Technology Labs., Meiji Seika
Kaisha, Ltd.
788, Kayama, Odawara-Shi, Kanagawa-Ken

Name: Naoki MIDOH

Inventor:

Address: c/o Pharmaceutical Technology Labs., Meiji Seika
Kaisha, Ltd.
788, Kayama, Odawara-Shi, Kanagawa-Ken

Name: Kaoru OKAKURA

Inventor:

Address: c/o Pharmaceutical Technology Labs., Meiji Seika
Kaisha, Ltd.
788, Kayama, Odawara-Shi, Kanagawa-Ken

Name: Koichi MIYAMOTO

Inventor:

Address: c/o Pharmaceutical Technology Labs., Meiji Seika
Kaisha, Ltd.
788, Kayama, Odawara-Shi, Kanagawa-Ken

Name: Manabu WATANABE

Inventor:

Address: c/o Pharmaceutical Technology Labs., Meiji Seika
Kaisha, Ltd.
788, Kayama, Odawara-Shi, Kanagawa-Ken

Name: Koji YANAI

Inventor:

Address: c/o Pharmaceutical Technology Labs., Meiji Seika
Kaisha, Ltd.
788, Kayama, Odawara-Shi, Kanagawa-Ken

Name: Tetsuya YASUTAKE

Inventor:

Address: c/o Pharmaceutical Technology Labs., Meiji Seika
Kaisha, Ltd.
788, Kayama, Odawara-Shi, Kanagawa-Ken

Name: Sato AIHARA

Inventor:

Address: c/o Pharmaceutical Technology Labs., Meiji Seika
Kaisha, Ltd.
788, Kayama, Odawara-Shi, Kanagawa-Ken

Name: Takafumi FUTAMURA

Inventor:

Address: c/o Technische Universitat Berlin,
Max-Volmer-Institut fur Biophysikalische Chemie
und Biochemie, Franklinstr. 29, D-10587 Berlin,
Germany

Name: Horst Kleinkauf

Inventor:

Address: c/o Pharmaceutical Technology Labs., Meiji Seika
Kaisha, Ltd.
788, Kayama, Odawara-Shi, Kanagawa-Ken

Name: Takeshi MURAKAMI

Applicant:

Identification Number: 000006091
Name: MEIJI SEIKA KAISHA, LTD.
Representative: Ichiro KITAZATO
Tel.: 03-3273-3357

Priority Claim of Earlier Application

Application Number: Patent Application No. 1999-253040

Application Date: September 7, 1999

Indication of the FEE:

Account Number: 008305

Fee: 21,000 Yen

List of Documents filed:

Specification	1 copy
Abstract	1 copy
Drawing	1 copy
Certificate for Entrustment	3 copies
Indication of Reference	-omitted-

Proofreading:

Needed



[Designation of Document] Specification

Title of the Invention

Cyclic depsipeptide synthetase gene

Claims

1. A gene carrying the following DNA (a) or (b):
 - (a) DNA of a nucleotide sequence shown as SQ ID No. 1;
 - (b) a microorganism-derived DNA hybridizing with the DNA of the nucleotide sequence (a) under stringent conditions and encoding a protein with cyclic depsipeptide synthetase activity.
2. A protein described below in (a) or (b):
 - (a) a protein of an amino acid sequence shown as SQ ID No. 2;
 - (b) a protein of an amino acid sequence prepared through deletion, substitution or addition of one or several amino acids in the amino acid sequence (a) and with cyclic depsipeptide synthetase activity.
3. A recombinant vector carrying a gene according to claim 1.
4. A microorganism harboring a recombinant vector according to claim 3 and expressing the gene.
5. A microorganism according to claim 4, wherein the microorganism is a fungus producing the substance PF1022.
6. A method for producing the substance PF1022 and a derivative thereof by using a microorganism according to claim 4 or 5.

Detailed Description of the Invention

[0001]

Technical Field to which the Invention Belongs

The present invention relates to the cyclic depsipeptide synthetase gene for producing the substance PF1022 as a cyclic depsipeptide with anthelmintic activity, a protein encoded by the gene, a recombinant vector using the gene, and a method for producing the substance PF1022 in a substance PF1022-producing microorganism integrated with the recombinant vector.

[0002]

Prior Art

The substance PF1022 [cyclo(D-lactyl-L-N-methylleucyl-D-3-phenyllactyl-L-N-methylleucyl-D-lactyl-L-N-methylleucyl-D-3-phenyllactyl-L-N-methylleucyl)] is the cyclic depsipeptide produced by a filamentous fungus of Agonomycetales, namely the strain PF1022 [Mycelia sterilia; the strain was deposited as FERM BP-2671 at National Institute of Bioscience and Human-Technology, Agency of Industrial Science and Technology, Japan]. The substance PF1022 exerts an extremely high anthelmintic activity on nematodes parasitic on animals [Japanese Patent publication No. 35796/1991; Sasaki, T. et al., J. Antibiotics., 45, 692 (1992)]. Therefore, the substance is useful as a anthelmintic for animals and is additionally useful as a raw material for the synthesis of a more highly active derivative of the substance.

[0003]

The amounts of secondary metabolites produced by microorganisms and separated from natural origins are generally very slight. So as to industrially utilize such metabolites, therefore, the productivity of the secondary metabolites is necessarily increased. For the increase of the productivity, the examination of the culturing methods and the culture medium

components, the modification of the fermentation conditions such as addition of the precursors, and the mutation of the strains by ultraviolet irradiation or mutagen are carried out. In recent years, the productivity has been increased by utilizing gene recombinant technology in addition to the aforementioned methods.

[0004]

As the method, the enhancement of the expression of the genes of enzymes involved in the biosynthetic pathways, the enhancement of the expression of the genes involved in the control of the biosynthesis, and blockage of unnecessary biosynthetic pathways and the like are practically effected [Khetan, A. and Hu, W.-S. Manual of Industrial Microbiology and Biotechnology 2nd edition, p. 717, (1999)]. As a specific example, further, it has been known a method for improving the productivity, comprising allowing the hemoglobin gene of a bacterium to be expressed for the purpose of the improvement of the oxygen usability [Minas, W. et al., Biotechnol. Prog. 14, 561, (1998)].

[0005]

The most general means for the improvement of the productivity by gene recombinant technology is the enhancement of the expression of the genes of enzymes involved in biosynthetic pathway. For the application of the means, essentially, the transformation method of a subject microorganism is established; a promoter and a terminator applicable to the enhancement of the expression are to be present; and the biosynthetic pathway is to be elucidated and their genes are to be isolated. The transformation method of a fungus producing the substance PF1022, comprising integrating

a foreign gene, has already been established (WO 97/00944); and also, a report concerning the promoter and terminator applicable to the enhancement of the expression has been issued (Japanese Patent Application No. 252851/1999). However, no gene involved in the biosynthetic pathway has been isolated.

[0006]

The substance PF1022 is of a structure comprising L-N-methylleucine, D-lactic acid, and D-phenyllactic acid, which are bonded together through ester bonds and amide bonds. It is considered that the substance is synthesized from 4 molecules of L-leucine, 2 molecules of D-lactic acid and 2 molecules of D-phenyllactic acid by a certain peptide synthetase in a fungus producing the substance. Peptide synthetase means an enzyme involved in the biosynthesis of microbial secondary metabolites, such as peptide, depsipeptide, lipopeptide and peptide lactone, from substrates of amino acids and hydroxy acid. The sequences of some peptide synthetases have already been elucidated [Marahiel, M. A. et al., Chem. Rev., 97, 2651, (1997)]. The reaction with such enzyme is totally different from the synthetic system of protein with ribosome using mRNA as template. Peptide synthetase has one domain for each substrate, where each substrate is activated with ATP for binding through phosphopantothenic acid in the domain; and the resulting bound substrates form amide bonds or ester bonds due to the catalytic actions in the regions between the individual domains.

[0007]

Problems that the Invention is to Solve

The cyclic depsipeptide synthetase gene capable of improving the productivity of the substance PF1022 is provided, by permitting excess expression thereof in a fungus producing

the substance PF1022.

[0008]

Means for Solving the Problems

So as to overcome the problem, the inventors isolated the cyclic depsipeptide synthetase gene for the synthesis of the substance PF1022 from a fungus producing the substance PF1022, on the basis of the sequence of the conserved region of a known peptide synthetase. Furthermore, the inventors successfully improved the productivity of the substance PF1022 by preparing an expression vector modified with the promoter and terminator of the gene and integrating the expression vector in the fungus producing the substance PF1022. Thus, the invention has been achieved.

[0009]

More specifically, the invention relates to the following aspects.

1. A gene carrying the following DNA (a) or (b):
 - (a) DNA of a nucleotide sequence shown as SQ ID No. 1;
 - (b) a microorganism-derived DNA hybridizing with the DNA of the nucleotide sequence (a) under stringent conditions and encoding a protein with cyclic depsipeptide synthetase activity.
2. A protein described below in (a) or (b):
 - (a) a protein of an amino acid sequence shown as SQ ID No. 2;
 - (b) a protein of an amino acid sequence prepared by deletion, substitution or addition of one or several amino acids in the amino acid sequence (a) and with cyclic depsipeptide synthetase activity.
3. A recombinant vector carrying a gene in a first aspect

of the invention.

4. A microorganism harboring a recombinant vector in a third aspect of the invention and expressing the gene.

5. A microorganism in a fourth aspect of the invention, wherein the microorganism is a fungus producing the substance PF1022.

6. A method for producing the substance PF1022 and a derivative thereof by using a microorganism in a fourth or fifth aspect of the invention.

[0010]

Mode for Carrying out the Invention

The cyclic depsipeptide synthetase gene of the invention can be isolated from a fungus producing the substance PF1022 for example by the following method.

[0011]

A library comprising the genomic DNA of a fungus producing the substance PF1022 is prepared by extracting the genomic DNA from the fungus producing the substance PF1022, cleaving the DNA with an appropriate restriction endonuclease, and subsequently ligating to a phage vector.

Based on the conserved region of the amino acid sequence of a known peptide synthetase and a partial amino acid sequence of the cyclic peptide synthetase purified from the fungus producing the substance PF1022, an appropriate primer is synthesized, which is used to effect polymerase chain reaction (PCR) with the genomic DNA derived from the fungus producing the substance PF1022 as template, to amplify a DNA fragment of the cyclic peptide synthetase gene. Using the DNA fragment as probe, the genome library is screened. In such manner, the whole region of the cyclic peptide synthetase gene can be

isolated. After the determination of the nucleotide sequence of the DNA fragment, appropriate restriction cleavage sites are introduced upstream the translation initiation codon and downstream the translation termination codon by means such as PCR, to recover a gene fragment singly containing the cyclic peptide synthetase gene.

[0012]

The gene of the invention encompasses a nucleotide sequence hybridizable with the thus determined nucleotide sequence under stringent conditions. Using routine methods (for example site-directed mutagenesis) in the field of genetic engineering, additionally, DNA fragments with modification of the gene, such as addition, insertion, deletion or substitution of the gene, can be encompassed within the scope of the invention. The stringent conditions herein referred to mean that the rinsing procedure of the membrane after hybridization is carried out in solutions at low salt concentrations and high temperature, for example, a condition such that rinsing is effected in $0.2 \times \text{SSC}$ ($1 \times \text{SSC}$: 15 mM citrate trisodium, 150 mM sodium chloride) - 0.1 % SDS solution at 60°C for 15 minutes.

[0013]

A promoter is conjugated upstream the cyclic peptide synthetase gene isolated by the method, while a terminator is conjugated downstream the cyclic peptide synthetase gene; additionally, selective marker genes such as nutrient auxotrophic complementary genes or/and genes with chemical resistance are conjugated thereto, to prepare a recombinant vector for gene expression.

[0014]

The selective markers for use in recombinant vectors for

gene expression include for example nutrient auxotrophic complementary genes such as pyrG, argB, trpC, niaD, TRP1, LEU2 and URA3; and genes with chemical resistance against destomycin, benomil, oligomycin, hygromycin, G418, bleomycin, fleomycin, phosphinothricin, ampicillin, and kanamycin.

[0015]

The conjugation of the promoter and terminator to the inventive gene and the insertion thereof into a vector can be carried out by methods known per se. The promoter and terminator for use in accordance with the invention are not specifically limited, and include for example, genes of glycolytic enzymes, such as 3-phosphoglycerate kinase, glyceraldehyde-3-phosphate dehydrogenase and enolase; genes of amino acid synthesis, such as ornithine carbamoyltransferase and tryptophan synthase; genes of hydrolases, such as amylase, protease, lipase, cellulase and acetoamidase; genes of oxidoreductases, such as nitrate reductase, orotidine-5'-phosphate dehydrogenase, and alcohol dehydrogenase; and genes of bacteria producing the substance PF1022, which are highly expressed in the fungus producing the substance PF1022, such as Abpl.

[0016]

The transformation of a host with a recombinant vector prepared in such manner and the culturing of the resulting transformant enable prominent production of the substance PF1022. For a host with no synthesis of L-leucine, D-lactic acid or D-phenyllactic acid as a substrate for the cyclic depsipeptide synthetase of the invention, additionally, the host is cultured after addition of deficient substrates or derivatives thereof, whereby the substance PF1022 or

derivatives thereof can be produced. The invention also encompasses the culturing of the transformant in a culture medium to collect the substance PF1022 or a derivative thereof from the resulting microorganisms.

[0017]

As the host for use, appropriate bacteria or fungal microorganisms usable as hosts for gene recombination can be used, with no specific limitation. Preferably, the host is Escherichia coli, a bacterium of the genus Bacillus, an actinomycetes, yeast and a filamentous fungus; more preferably, the host is a filamentous fungus producing the substance PF1022; and most preferably, the host is the strain PF1022 (Mycelia sterilia, FERM BP-2671).

[0018]

The transformation of such host can be carried out by methods known per se. For example, the introduction of a recombinant vector for gene expression into a host can be carried out by routine methods, for example electroporation process, polyethylene glycol process, Agrobacterium process, lithium process, calcium chloride process and the like, with no specific limitation.

[0019]

The transformant can also be cultured by general methods, by appropriately selecting culture media and culturing conditions and the like. As the culture media, use can be made of routine components, such as carbon sources for example glucose, sucrose, thick malt syrup, dextrin, starch, glycerol, molasses, animal and vegetable oils and the like. As the nitrogen source, additionally, use can be made of soy bean powder, wheat germ, pharmamedia, corn steep liquor, cotton seed

bran, meat extract, polypeptone, malt extract, yeast extract, ammonium sulfate, sodium nitrate, urea and the like. Additionally, it is effective to add inorganic salts capable of generating sodium, potassium, calcium (calcium carbonate and the like), magnesium, cobalt, chloride, phosphorus (dipotassium hydrogen phosphate), sulfuric acid (magnesium sulfate and the like) and other ions, if necessary. If necessary, furthermore, selective chemical agents including various vitamins such as thiamine (thiamine chloride salt and the like), amino acids such as glutamic acid (sodium glutamate and the like) and asparagine (DL-asparagine and the like), trace nutrients such as nucleotide and antibiotics can be added. Organic materials and inorganic materials supporting fungal growth and promoting the production of the substance PF1022 or a derivative thereof can appropriately be added.

[0020]

The pH of the culture medium is about pH 6 to pH 8. As the culturing method, agitation culture, aerated agitation culture or submerged aerobic culture under aerobic conditions can be carried out. Particularly, submerged aerated culture is the most appropriate. The temperature appropriate for culturing is 15°C to 40°C. In many cases, the microorganism grows around 26°C to 37°C. The production of the substance PF1022 or a derivative thereof varies, depending on the culture medium and culture conditions or the host used, but the accumulation thereof generally reaches the peak in 2 days to 25 days by any of the culture methods. Just when the amount of the substance PF1022 or a derivative thereof reaches the peak, the culturing is terminated, to isolate and purify the objective substance from the culture.

[0021]

So as to recover the substance PF1022 or a derivative thereof from the culture, general separation means utilizing the characteristic properties, for example solvent extraction method, ion exchange resin method, adsorption or partition column chromatography method, gel filtration method, dialysis method, precipitation method and crystallization method, can be used singly or in appropriate combinations thereof to extract and purify the substance PF1022 or a derivative thereof. From the culture, for example, the substance PF1022 or a derivative thereof is extracted in acetone, methanol, butanol, ethyl acetate, butyl acetate and the like. So as to further purify the substance PF1022 or a derivative thereof, chromatography using Sephadex LH-20 (Pharmacia Co.) or Toyopearl HW-40 (Toso, Co.) is satisfactorily effected. By the methods described above or combinations thereof, the substance PF1022 or a derivative thereof can be recovered in purity.

[0022]

Examples

The present invention will now be described in the following examples, but the invention is not limited to them.

[0023]

Example 1

Cloning of cyclic depsipeptide synthetase gene from a fungus producing the substance PF1022

1. Genomic DNA isolation and preparation of genome library

With UV irradiation or NTG treatment, mutation was induced into the fungus (Mycelia sterilia; FERM BP-2671) producing the substance PF1022, to prepare a fungal strain 432-26 producing the substance PF1022 and having an improved

productivity of PF1022, from which the genome DNA was extracted. The fungal strain 432-26 producing the substance PF1022 was cultured in 50-ml of a seed culture medium [1 % yeast extract, 1 % malt extract, 2 % polypeptone, 2.5 % glucose, 0.1 % dipotassium hydrogen phosphate, 0.05 % magnesium sulfate (pH 7.0)] at 26°C for 2 days, to recover the fungi by centrifugation. The resulting fungi were frozen in liquid nitrogen and ground in a mortar with a pestle. From the ground fungi, the genome DNA was isolated by ISOPLANT (Nippon Gene, Co.) according to the attached protocol. The isolated genome DNA was partially digested with Sau3A I, to recover DNA fragments of 15 kb to 20 kb by agarose gel electrophoresis, which were then treated with alkali phosphatase to dephosphorylate the termini of the DNA fragments. The DNA fragments were inserted in a phage vector Lambda DASH II (STRATAGENE, CO.). The recombinant phage vector recovered in such manner was subjected to in vitro packaging with Gigapack III Gold Packaging Extract (STRATAGENE CO.) according to the attached protocol. Subsequently, the recombinant phage grew on the host Escherichia coli strain XL1-Blue MRA (P2) for plaque formation on a plate.

[0024]

2. Isolation of partial DNA fragment of cyclic depsipeptide synthetase gene

A known peptide synthetase was subjected to multiple alignment, so that WTSMYDG and VVQYFPT were detected as excellently conserved regions. Based on these sequences, primers 5'-TGGACIWSNATGTAYGAYGG-3' (SQ ID NO. 3) and 5'-GTIGGRAARTAYTGIACNAC-3' (SQ ID NO. 4) were synthesized. Using these primers, the genome DNA isolated from the fungus producing the substance PF1022 was used as template for PCR. Using 50

ng of the genome DNA as template, 1.25 units ExTaq DNA polymerase (TaKaRa Brewery, Co.), the attached buffer and dNTP mixture, and 10 μ M primer in 50 μ l of a reaction solution, PCR was conducted under the following conditions: 94°C for 3 minutes [94°C for one minute, 65°C (with 0.5°C decrement per one cycle) for one minute, 72°C for one minute] \times 30 times and 72°C for 3 minutes. Through the reaction, a DNA fragment of about 350 bp was amplified; and the resulting DNA fragment was inserted in pCR2.1 plasmid vector, by using Original TA Cloning Kit (Invitrogen Co.) according to the attached protocol.

[0025]

The nucleotide sequence of the thus cloned DNA fragment was determined, by using DNA sequencing Kit dRhodamine Terminator Cycle Sequencing Ready Reaction (Perkin Elmer Co.) and ABI PRISM 310 Genetic Analyzer (Perkin Elmer Co.) according to the attached protocol. Consequently, the nucleotide sequence of the isolated DNA fragment was homologous to the peptide synthetase gene, which apparently indicates that the DNA fragment was a part of the objective cyclic depsipeptide synthetase gene.

[0026]

3. Cloning of the whole region of the cyclic depsipeptide synthetase gene

The probe for use in the screening of the genome library was prepared, by PCR to allow the DNA fragment to incorporate fluorescein-labeled dUTP. By using pCR2.1 plasmid vector inserted with 100 ng of the DNA fragment of the cyclic depsipeptide synthetase gene as template, 1.25 units ExTaq DNA polymerase (TaKaRa Brewery, Co.) and the attached buffer, 0.2 mM dATP, 0.2 mM dCTP, 0.2 mM dGTP, 0.02 mM dTTP, 0.18 mM

fluorescein-labeled dUTP (FluoroGreen; Amersham Co.) and 10 μ M primers (SQ ID Nos. 3 and 4) in 50 μ l of a reaction solution, PCR was carried out under the following conditions: 94°C for 2 minutes, (94°C for 30 seconds, 55°C for one minute and 72°C for one minute) \times 25 times, 72°C for 3 minutes. Through the reaction, a fluorescein-labeled probe of about 350 bp was prepared.

[0027]

On the plate with formed plaques as prepared in Example 1.1, Hybond-N+ membrane (Amersham Co.) was mounted, to deposit the plaques. The membrane was treated with an alkali, to denature the recombinant phage DNA on the membrane into a single strand and thereby adsorb the DNA on the membrane. The phage DNA-adsorbed membrane was placed in a buffer prepared by using Hybridization Buffer Tablets (Amersham Co.), for incubation at 60°C for one hour. The fluorescein-labeled probe was denatured and added to the resulting incubation mixture, for overnight hybridization at 60°C. Thereafter, the membrane was rinsed in 1 \times SSC (SSC: 15 mM citrate trisodium, 150 mM sodium chloride)-0.1 % SDS solution at 60°C for 15 minutes and further rinsed in 0.2 \times SSC-0.1 % SDS solution at 60°C for 15 minutes. The fluorescein-bound plaque was visualized by using DIG-wash and block buffer set (Boehringer Mannheim, Co.), alkali phosphatase-labeled anti-fluorescein antibody (Anti-fluorescein-AP, Fab fragment, Boehringer Mannheim Co.), a chromogenic substrate nitroblue tetrazolium chloride (Boehringer Mannheim Co.) and X-phosphate (Boehringer Mannheim Co.) according to the attached protocol. In such manner, a positive clone carrying the 5' upstream region and 3' downstream region of a region homologous to the probe was screened.

[0028]

4. Determination of the nucleotide sequence

The DNA fragment in the positive clone thus isolated was amplified by PCR using primers 5'-GCGGAATTAACCCTCACTAAAGGGAACGAA -3' (SQ ID No. 5) and 5'-GCGTAATACGACTCACTATAGGGCGAAGAA-3' (SQ ID No. 6) as the phage vector sequences. Using 100 ng of the positive clone DNA as template, 2.5 units LA Taq DNA polymerase (TaKaRa Brewery, Co.), the attached buffer and dNTP mixture, 2.5 mM magnesium chloride, and 0.2 μ M primer in a reaction solution of 50 μ l, PCR was effected under the following conditions: 94°C for one minute, (98°C for 10 seconds and 68°C for 15 minutes) \times 25 times, 72°C for 15 minutes. The resulting PCR product was purified and treated with a nebulizer, to be decomposed randomly into fragments of 0.5 kb to 2.0 kb. The termini of the resulting fragments were blunt ended with T4 DNA polymerase and phosphorylated with T4 polynucleotide kinase, to be then inserted at the EcoRV site of pT7Blue (Novagen Co.) for insertion in Escherichia coli strain JM109. 168 colonies thus prepared were directly subjected to PCR using M13 Primer M4 (TaKaRa Brewery, Co.) and M13 primer RV (TaKaRa Brewery, Co.) and were then purified, which were then sequenced by using M13 primer M4 (TaKaRa Brewery, Co.). Using 1.25 units ExTaq DNA polymerase (TaKaRa Brewery, Co.), the attached buffer and dNTP mixture, and 0.5 μ M primer, PCR was effected in 50 μ l of a reaction solution under the following conditions: 94°C for 4 minutes, (94°C for 30 seconds, 55°C for 30 seconds and 72°C for 2 minutes) \times 30 times, 72°C for 3 minutes. Additionally, sequencing was effected, by using DNA Sequencing Kit dRhodamine Terminator Cycle Sequencing Ready Reaction (Perkin Elmer Co.)

and ABI PRISM 310 Genetic Analyzer (Perkin Elmer Co.) according to the attached protocol.

[0029]

Based on the results, an insufficiently analyzed region was amplified by PCR using a primer newly designed on the basis of the analyzed nucleotide sequence and was then purified. Using the primer used for PCR, the region was sequenced, whereby the 15606-bp nucleotide sequence of the DNA fragment in the positive clone was determined.

[0030]

The analysis of the sequence apparently indicates that an open reading frame (ORF) of 9633 bp was present and a protein speculated from the sequence comprised 3210 amino acid residues of 353 kDa and that the protein was homologous to the peptide synthetase. Additionally, the protein with the highest homology was enniatin synthetase (S39842) with 56 % homology. The nucleotide sequence and amino acid sequence of the ORF of the cyclic depsipeptide synthetase gene thus isolated in accordance with the invention are shown as SQ ID Nos. 1 and 2, respectively in the sequence listing.

[0031]

Example 2

Improvement of PF1022 productivity due to the excess expression of cyclic depsipeptide synthetase gene

1. Construction of recombinant vector for gene expression (Fig. 1)

From the positive clone recovered in Example 1.3, plasmid pPF7 was prepared by cleaving the inserted DNA fragment with NotI and inserting the DNA fragment into the NotI site of the pBluescriptII KS+ (STRATAGENE CO.). pPF7 was cleaved with

BanIII and SmaI and electrophoresed on agarose gel, to recover a DNA fragment of about 8250 bp from the agarose gel. The fragment was inserted in pBluescriptII KS+, to prepare plasmid pPF7-1.

[0032]

Using pPF7 as template, 5'-AGCATCGGATCCTAACAATGGGCGTTGAGCAGCAAGCCCTA-3' (SQ ID No. 7; designed for the initiation of the translation at the 9-th Met from the N terminus of the ORF) or 5'-AGCATCGGATCCTAACAATGTCAAACATGGCACCCTCCCTA-3' (SQ ID No. 13; designed for the initiation of the translation at the first Met from the N terminus of the ORF), and 5'-TTTGCTTCGTACTCGGGTCCT-3' (SQ ID No. 8) as primers for the amplification of a region of about 440 bp (using SQ ID Nos. 7 and 8) or a region of about 470 bp (using SQ ID Nos. 13 and 8) around the N terminus to the BanIII site, and 5'-GCATCGCGATACTAGAGAAG-3' (SQ ID No. 9) and 5'-AGCATCGAATTCGGATCCCTAAACCAACGCCAAAGCCCGAAT-3' (SQ ID No. 10) as primers for the amplification of a region of about 920 bp from the SmaI site to the C terminus, PCR was effected. Then, the primers were designed so as to insert the BamHI site at the 5' and 3' sites of the inventive cyclic depsipeptide synthetase gene. Using 150 ng of the plasmid DNA as template, 2.5 units KOD DNA polymerase (Toyo Boseki), the attached buffer and dNTP mixture, 1 mM magnesium chloride, and 0.5 μ M primer in 50 μ l of a reaction solution, PCR was effected under the following conditions: 98°C for 30 seconds, (98°C for 15 seconds, 65°C for 2 seconds, 74°C for 30 seconds) \times 10 times, 74°C for one minute. The PCR reaction solutions recovered by using the individual primers were precipitated with ethanol, to recover PCR products. Concerning the N terminal region, the N terminal region was

cleaved with BamHI and BanIII; concerning the C terminal region, the C terminal region was cleaved with SmaI and BamHI. Thereafter, the resulting fragments were electrophoresed on agarose gel, to recover DNA fragments from the agarose gel. [0033]

The PCR fragment of the C terminal region was inserted in the SmaI and BamHI sites of pPF7-1, to prepare plasmid pPF7-2. The plasmid was cleaved with BanIII and BamHI and electrophoresed on agarose gel, to recover a DNA fragment of about 9170 bp from the agarose gel. The DNA fragment and the N terminal region prepared by using SQ ID Nos. 7 and 8 were simultaneously inserted in the BamHI site of pBluescript II KS+, to reconstruct the cyclic depsipeptide synthetase gene of the invention and prepare plasmid pPFsyn (initiating the translation at the 9-th Met from the N terminus of the ORF). [0034]

Alternatively, an about 9170-bp DNA fragment cleaved from pPF7-2 and the N-terminal region prepared by using SQ ID Nos. 7 and 13 were simultaneously inserted in the BamHI site of pHSG299 (TaKaRa Brewery Co.), to reconstruct the cyclic depsipeptide synthetase gene of the invention and prepare plasmid pPFsynN (initiating the translation at the first Met from the N terminus of the ORF). In such manner, the cyclic depsipeptide synthetase gene with the BamHI sites on both the termini was prepared.

[0035]

Herein, Escherichia coli transformed with the plasmid pPFsyn (Escherichia coli DH5 α) was deposited with Accession No. FERM P-17541 at National Institute of Bioscience and Human-Technology, Agency of Industrial Science and Technology, supra.

[0036]

Additionally, Escherichia coli transformed with the plasmid pPFsynN (Escherichia coli DH5 α) was deposited with Accession No. FERM P-17542 at National Institute of Bioscience and Human-Technology, Agency of Industrial Science and Technology, supra.

[0037]

pPFsyn or pPFsynN was cleaved with BamHI. Subsequently, the cyclic depsipeptide synthetase gene region was recovered from the individual gels. The gene region was inserted at the BamHI site of pABPd with the promoter and terminator of AbpI gene described in Japanese Patent Application 252851/1999, to prepare an expression vector pABP/PFsyn (initiating the translation at the 9-th Met of the N terminus of ORF) and an expression vector pABP/PFsynN (initiating the translation at the first Met of the N terminus of ORF) as the expression vectors for expressing the cyclic depsipeptide synthetase gene of the invention.

[0038]

2. Introduction and expression of cyclic depsipeptide synthetase gene in fungus producing the substance PF1022

The expression vectors were introduced in a fungus producing the substance PF1022 (Mycelia sterilia; FERM BP-2671) according to the method of Example 1 described in WO 97/00944, to screen strains with high resistance against hygromycin B. The introduction of the objective gene in these strains was confirmed by PCR using a primer 5'- TGATATGCTGGAGCTTCCCT -3' (SQ ID No. 11) prepared from the sequence of Abp1 promoter and a primer 5'- GCACAACCTCTTTCCAGGCT -3' (SQ ID No. 12) prepared from the sequence of the cyclic depsipeptide synthetase gene. In

such manner, gene-introduced strains with high resistance against hygromycin B and with the inventive cyclic depsipeptide synthetase gene introduced therein were screened.

[0039]

The gene-introduced strains and the parent strain (Mycelia sterilia; FERM BP-2671) were separately cultured in 50 ml of a seed culture medium at 26°C for 2 days; 1 ml of each of the cultures was inoculated separately in a generation culture medium [6 % thick malt syrup, 2.6 % starch, 2 % wheat germ, 1 % pharmamedia, 0.2 % magnesium sulfate·7 hydrates, 0.2 % calcium carbonate, 0.3 % sodium chloride (pH 7.5)] and cultured therein at 26°C for 4 days. The resulting culture was centrifuged at 4500 rpm for 5 minutes to harvest the fungus; the resulting individual fungus species were rinsed in 0.3 M potassium chloride. The individual fungal species were frozen in liquid nitrogen and freeze-dried.

[0040]

The following extraction procedure was carried out on ice or in a low-temperature chamber at 4°C. Into a 2-ml tube containing 10 mg of the freeze-dried fungal species and 1.0 ml of glass beads (0.5-mm diameter) was added 1.0 ml of an extraction buffer [50 mM Tris-HCl (pH 8.0), 0.3 M potassium chloride, 60 % glycerol, 10 mM ethylenediaminetetraacetate disodium, 5 mM dithiothreitol, 10 µM leupeptin, 1 mM phenylmethanesulfonic acid, 60 µg/ml chimostatin]. The microtube was set in a Mini-Bead-Beater-8 (Biospec, Co.), which was then driven at the maximum speed for 3 minutes for extraction. The resulting mixture was centrifuged at 15000 rpm for 5 minutes; 100 µl of the supernatant was charged in and mixed with 100 µl of 10 % trichloroacetic acid solution. After the

solution was left to stand for 15 minutes, the solution was centrifuged at 15000 rpm for 10 minutes. The resulting precipitate was dissolved in 15 µl of an alkali solution (2 % sodium carbonate, 0.4 % sodium hydroxide), to which was added 60 µl of a sample buffer [125 mM Tris-HCl (pH 6.8), 20 % glycerol, 4 % sodium dodecylsulfate, 10 % 2-mercaptoethanol, 50 mg/l bromophenol blue]. This was heated in boiling water for 5 minutes, and was then electrophoresed [Sodium Dodecyl sulfate-polyacrylamide gel electrophoresis (SDS-PAGE)] on 4 % to 20 % polyacrylamide gel with an electrophoresis system (Tefco Co.). The polyacrylamide gel after electrophoresis was stained by using Quick-CBB (Wako Pure Chemical Co.) according to the attached protocol. The electrophoresis result of the proteins extracted from the parent strain and the gene-introduced strain with pABP/PFsyn is shown in Fig. 2. Additionally, the electrophoresis result of the proteins extracted from the parent strain and the gene-introduced strain with pABP/PFsynN is shown in Fig. 3.

[0041]

As described above, the expression level of the cyclic depsipeptide synthetase in the gene-introduced strains was distinctively higher than the level in the parent strain.

[0042]

3. Extraction and assay of the substance PF1022

The gene-introduced strains and the parent strain were separately cultured in 50 ml of a seed culture medium at 26°C for 2 days; and 1 ml of each of 50 ml of the cultures was inoculated separately in a generation culture medium and cultured therein at 26°C for 6 days. 10 ml each of the cultures was placed and centrifuged at 3000 rpm for 10 minutes; and the

resulting strain were harvested separately. 10 ml of methanol was added to the individual strains, which were vigorously shaken and left to stand for 30 minutes. Thereafter, those were again shaken and centrifuged at 3000 rpm for 10 minutes; the substance PF1022 extracted from the individual strains in the supernatant was assayed by liquid chromatography. As the column, LiChrospher 100 RP-18 (e) (Kanto Chemical CO.) was used; the column temperature was 40°C; the mobile phase was 80 % acetonitrile at a flow rate of 1.0 ml/min; the substance PF1022 was detected on the basis of the absorbance at 210 nm. The retention time of the substance PF1022 under the conditions was 5 minutes to 6 minutes. The experiments were carried out in duplicate. The average values of the assay results of the substance PF1022 extracted from the parent strain and the gene-introduced strain with the pABP/PFsyn are shown in Table 1.

[0043]

Table 1

	Substance PF1022 (μg/ml)
Parent strain	88
Gene-introduced strain	222

[0044]

The substance PF1022 productivity of the gene-introduced strain was about 2.5-fold that of the parent strain. It is apparently shown that the excess expression of the inventive cyclic depsipeptide synthetase elevates the productivity of the substance PF1022.

[0045]

Additionally, the average values of the assay results of the substance PF1022 extracted from the parent strain and the gene-introduced strain with the pABP/PFsynN are shown in Table

2.

[0046]

Table 2

	Substance PF1022 ($\mu\text{g/ml}$)
Parent strain	29
Gene-introduced strain 1	123
Gene-introduced strain 2	136
Gene-introduced strain 3	172

[0047]

The substance PF1022 productivity of the gene-introduced strains was 4.3- to 6.0-fold that of the parent strain. It is apparently shown that the excess expression of the inventive cyclic depsipeptide synthetase elevates the productivity of the substance PF1022.

[0048]

Advantages of the Invention

The introduction of the inventive cyclic depsipeptide synthetase gene in the fungus producing the substance PF1022 can improve the productivity of the substance PF1022.

【 0 0 4 9 】

SEQUENCE LISTING

<110> Meiji Seika Kaisha, Ltd

<120> Cyclodepsipeptide synthetase gene

<130> PM1577

<150> JP11-253040

<151> 1999-09-07

<160> 13

<170> PatentIn Ver. 2.0

<210> 1

<211> 9633

<212> DNA

<213> Mycelia sterilia

<220>

<221> CDS

<222> (1).. (9633)

<223> peptide synthetase for PF1022

<220>

<221> mat#peptide

<222> (13).. (9630)

<400> 1

atg tca aac atg gca cca ctc cct acg atg ggc gtt gag cag caa gcc 48

Met Ser Asn Met Ala Pro Leu Pro Thr Met Gly Val Glu Gln Gln Ala

-1 1 5 10

cta tca ctt tca tgc ccc tta ctc cct cat gac gat gag aaa cac tca 96

Leu Ser Leu Ser Cys Pro Leu Leu Pro His Asp Asp Glu Lys His Ser

15 20 25

gac aac ctt tac gag caa gca act cgg cac ttc ggc ttg agc cga gac 144

Asp Asn Leu Tyr Glu Gln Ala Thr Arg His Phe Gly Leu Ser Arg Asp

30 35 40

aag atc gaa aat gtc tta cca tgt act tcc ttt caa tgt gat gtc ata 192

Lys Ile Glu Asn Val Leu Pro Cys Thr Ser Phe Gln Cys Asp Val Ile

45 50 55 60

gat tgc gcc gtc gac gat cgg cgg cat gct atc ggt cac gtc gtc tat 240

Asp Cys Ala Val Asp Asp Arg Arg His Ala Ile Gly His Val Val Tyr

65 70 75

gat atc ccc aat aca gtg gac atc cag cgt tta gcc gca gcc tgg aaa 288

Asp Ile Pro Asn Thr Val Asp Ile Gln Arg Leu Ala Ala Ala Trp Lys

80 85 90

gag gtt gtg cgg cag aca cca atc ttg agg acc ggc atc ttt aca tca 336

Glu Val Val Arg Gln Thr Pro Ile Leu Arg Thr Gly Ile Phe Thr Ser

95 100 105

gaa acc ggc gac tct ttt cag atc gtc ttg aaa gaa ggc tgc cta ccg 384

Glu Thr Gly Asp Ser Phe Gln Ile Val Leu Lys Glu Gly Cys Leu Pro

110

115

120

tgg atg tac gcg aca tgt ctc ggc atg aag ggg gca gtg ata caa gat 432

Trp Met Tyr Ala Thr Cys Leu Gly Met Lys Gly Ala Val Ile Gln Asp

125

130

135

140

gaa gca gtc gcc gct atg act gga ccg cgt tgc aat cga tat gtc gtc 480

Glu Ala Val Ala Ala Met Thr Gly Pro Arg Cys Asn Arg Tyr Val Val

145

150

155

ctg gag gac ccg agt acg aag caa agg ctg ctc atc tgg aca ttc agc 528

Leu Glu Asp Pro Ser Thr Lys Gln Arg Leu Leu Ile Trp Thr Phe Ser

160

165

170

cat gct tta gtg gat tat aca gtc cag gaa cgc atc ctt cag cgg gtt 576

His Ala Leu Val Asp Tyr Thr Val Gln Glu Arg Ile Leu Gln Arg Val

175

180

185

ctc aca gta tac gac ggc cgg gac gtc gag tgc cct cgc atc aag gat 624

Leu Thr Val Tyr Asp Gly Arg Asp Val Glu Cys Pro Arg Ile Lys Asp

190

195

200

aca gaa cat gtc tct cgg ttt tgg caa caa cac ttt gaa ggc tta gat 672

Thr Glu His Val Ser Arg Phe Trp Gln Gln His Phe Glu Gly Leu Asp

205

210

215

220

gcc tcc gta ttt ccc ctt cta cca tct cac cta act gtg tgc aat ccc 720
 Ala Ser Val Phe Pro Leu Leu Pro Ser His Leu Thr Val Cys Asn Pro
 225 230 235

aat gcg cgc gca gaa cat cat atc tca tac acg gga cca gtc cag agg 768
 Asn Ala Arg Ala Glu His His Ile Ser Tyr Thr Gly Pro Val Gln Arg
 240 245 250

aag tgg tcc cat aca agt atc tgt cgg gct gca ctc gca gtt ctt cta 816
 Lys Trp Ser His Thr Ser Ile Cys Arg Ala Ala Leu Ala Val Leu Leu
 255 260 265

tct cgc ttt aca cac tct tcg gag gcc ctc ttc ggt gtt gtg aca gaa 864
 Ser Arg Phe Thr His Ser Ser Glu Ala Leu Phe Gly Val Val Thr Glu
 270 275 280

caa tct cac aac tcc gag gac caa aga cgg tca att gat ggc ccc gca 912
 Gln Ser His Asn Ser Glu Asp Gln Arg Arg Ser Ile Asp Gly Pro Ala
 285 290 295 300

agg aca gta gtg cct atc cgc gtc ctt tgt gcc cca gat caa tat gtg 960
 Arg Thr Val Val Pro Ile Arg Val Leu Cys Ala Pro Asp Gln Tyr Val
 305 310 315

tcg gat gtc att ggg gca atc acc gca cac gaa cac gcc atg cgc ggg 1008
 Ser Asp Val Ile Gly Ala Ile Thr Ala His Glu His Ala Met Arg Gly
 320 325 330

ttt gag cac gct gga ctt cgc aat atc cgc cgt acc gga gac gac ggg 1056

Phe Glu His Ala Gly Leu Arg Asn Ile Arg Arg Thr Gly Asp Asp Gly
335 340 345

tct gct gct tgt gga ttc cag acc gtg cta ctg gtg act gac ggt gat 1104
Ser Ala Ala Cys Gly Phe Gln Thr Val Leu Leu Val Thr Asp Gly Asp
350 355 360

gct ccc aag acc cct ggg agt gta ctt cat cga agt gta gaa gaa tcg 1152
Ala Pro Lys Thr Pro Gly Ser Val Leu His Arg Ser Val Glu Glu Ser
365 370 375 380

gat aga ttc atg ccc tgc gct aat cgt gcc ctt ctg ctc gac tgc cag 1200
Asp Arg Phe Met Pro Cys Ala Asn Arg Ala Leu Leu Leu Asp Cys Gln
385 390 395

atg gct ggc aac tcg gca tcc cta gtc gca cga tat gat cat aat gtg 1248
Met Ala Gly Asn Ser Ala Ser Leu Val Ala Arg Tyr Asp His Asn Val
400 405 410

atc gac cca cgc cag atg tct cgc ttc ctg cga cag cta gga tac ctg 1296
Ile Asp Pro Arg Gln Met Ser Arg Phe Leu Arg Gln Leu Gly Tyr Leu
415 420 425

atc caa caa ttt cat cat cac gtc gat ctg cct ctg gtc aaa gaa ctg 1344
Ile Gln Gln Phe His His His Val Asp Leu Pro Leu Val Lys Glu Leu
430 435 440

gac gtc gtg acg gcg gag gat tgt gcg gaa atc gag aaa tgg aat tca 1392
Asp Val Val Thr Ala Glu Asp Cys Ala Glu Ile Glu Lys Trp Asn Ser

445	450	455	460	
gaa cgc cta aca atg caa gac gcc tta atc cac gac acc ata tcc aag				1440
Glu Arg Leu Thr Met Gln Asp Ala Leu Ile His Asp Thr Ile Ser Lys				
	465	470	475	
tgg gct gct ggc gat ccc aac aaa gct gca gtt ttc gct tgg gat ggg				1488
Trp Ala Ala Gly Asp Pro Asn Lys Ala Ala Val Phe Ala Trp Asp Gly				
	480	485	490	
gaa tgg aca tac gcc gag cta gac aac ata tcc tcc cgt ctc gcc gtg				1536
Glu Trp Thr Tyr Ala Glu Leu Asp Asn Ile Ser Ser Arg Leu Ala Val				
	495	500	505	
tat atc caa tcc ctg gac ttg aga cca gga caa gca ata ctc cca ctc				1584
Tyr Ile Gln Ser Leu Asp Leu Arg Pro Gly Gln Ala Ile Leu Pro Leu				
	510	515	520	
tgc ttc gag aag tca aaa tgg gtc gtc gcc aca att ctc gcc gtc ctc				1632
Cys Phe Glu Lys Ser Lys Trp Val Val Ala Thr Ile Leu Ala Val Leu				
525	530	535	540	
aaa gtc ggt cgg gca ttc aca ctc atc gac ccg tgc gac ccc tcg gca				1680
Lys Val Gly Arg Ala Phe Thr Leu Ile Asp Pro Cys Asp Pro Ser Ala				
	545	550	555	
agg atg gcc cag gtc tgt cag cag acc tcc gcc aca gtc gct ctc acc				1728
Arg Met Ala Gln Val Cys Gln Gln Thr Ser Ala Thr Val Ala Leu Thr				
	560	565	570	

tcc aaa ctc cac aac acc acc tta cgt tcc gtc gtt tcc cgc tgc att 1776

Ser Lys Leu His Asn Thr Thr Leu Arg Ser Val Val Ser Arg Cys Ile

575

580

585

gtg gtc gac gac gac ctc ctt cgg tcc tta ccc cac gcc gat ggc cgc 1824

Val Val Asp Asp Asp Leu Leu Arg Ser Leu Pro His Ala Asp Gly Arg

590

595

600

tta aag gcc acc gtg aag cca cag gac ttg gcc tat gtt att ttc aca 1872

Leu Lys Ala Thr Val Lys Pro Gln Asp Leu Ala Tyr Val Ile Phe Thr

605

610

615

620

tct ggc agc aca gga gag ccg aaa ggc atc atg atc gaa cat cgg ggg 1920

Ser Gly Ser Thr Gly Glu Pro Lys Gly Ile Met Ile Glu His Arg Gly

625

630

635

ttc gtg tcg tgt gct atg aaa ttt ggc ccc gcg ctc gga atg gat gag 1968

Phe Val Ser Cys Ala Met Lys Phe Gly Pro Ala Leu Gly Met Asp Glu

640

645

650

cac acg cgc gct ctt caa ttc gcc tca tat gcg ttt ggc gct tgt ctg 2016

His Thr Arg Ala Leu Gln Phe Ala Ser Tyr Ala Phe Gly Ala Cys Leu

655

660

665

gta gaa gtt gtg aca gct ctg atg cac ggc ggc tgc gtc tgc atc cct 2064

Val Glu Val Val Thr Ala Leu Met His Gly Gly Cys Val Cys Ile Pro

670

675

680

tcc gat gac gat cgc ttg aac aat gta ccg gag ttc atc aaa agg gcc	2112
Ser Asp Asp Asp Arg Leu Asn Asn Val Pro Glu Phe Ile Lys Arg Ala	
685 690 695 700	
cag gtg aac tgg gtg ata ctc act ccg tgc tat atc ggg aca ttc cag	2160
Gln Val Asn Trp Val Ile Leu Thr Pro Ser Tyr Ile Gly Thr Phe Gln	
705 710 715	
ccg gaa gat gtc cct gga cta caa aca ctg gta ttg gtt gga gaa cct	2208
Pro Glu Asp Val Pro Gly Leu Gln Thr Leu Val Leu Val Gly Glu Pro	
720 725 730	
atc tca gcg tct att cgg gat acc tgg gcc tcc cag gtt cga ctc ctg	2256
Ile Ser Ala Ser Ile Arg Asp Thr Trp Ala Ser Gln Val Arg Leu Leu	
735 740 745	
aat gcc tac ggt cag agt gaa agc tca act atg tgc agc gtc acg gaa	2304
Asn Ala Tyr Gly Gln Ser Glu Ser Ser Thr Met Cys Ser Val Thr Glu	
750 755 760	
gtc agc ccg ctc tcc ctc gaa ccg aac aat atc ggt cgg gct gta ggc	2352
Val Ser Pro Leu Ser Leu Glu Pro Asn Asn Ile Gly Arg Ala Val Gly	
765 770 775 780	
gca cga tcc tgg atc att gat ccc gac gag cct gat cgt ctt gct cca	2400
Ala Arg Ser Trp Ile Ile Asp Pro Asp Glu Pro Asp Arg Leu Ala Pro	
785 790 795	
att ggc tgc att gga gag cta gtg atc gaa agt ccg ggc att gcg cgc	2448

Ile Gly Cys Ile Gly Glu Leu Val Ile Glu Ser Pro Gly Ile Ala Arg
800 805 810

gac tat atc atc gcg ccg ccg ccg gac aag tcc ccc ttt ctc cta gca 2496
Asp Tyr Ile Ile Ala Pro Pro Pro Asp Lys Ser Pro Phe Leu Leu Ala
815 820 825

ccc ccg gcc tgg tat cca gcc ggg aaa tta tcc aac gcc ttt aaa ttt 2544
Pro Pro Ala Trp Tyr Pro Ala Gly Lys Leu Ser Asn Ala Phe Lys Phe
830 835 840

tac aag act gga gat ctc gtg cgt tat gga cct gac ggc acc atc gtc 2592
Tyr Lys Thr Gly Asp Leu Val Arg Tyr Gly Pro Asp Gly Thr Ile Val
845 850 855 860

tgc ctg gga cgc aaa gat tcg caa gtg aag atc cga ggg cag cgc gta 2640
Cys Leu Gly Arg Lys Asp Ser Gln Val Lys Ile Arg Gly Gln Arg Val
865 870 875

gag atc agc gca gtg gaa gcc agt cta cga cga caa cta cct agt gac 2688
Glu Ile Ser Ala Val Glu Ala Ser Leu Arg Arg Gln Leu Pro Ser Asp
880 885 890

atc atg ccc gtg gcc gaa gct atc aaa cgc tcg gat tcg tca ggc agc 2736
Ile Met Pro Val Ala Glu Ala Ile Lys Arg Ser Asp Ser Ser Gly Ser
895 900 905

aca gtc ttg act gcc ttc ttg ata ggg tca tct aag agc gga gat ggt 2784
Thr Val Leu Thr Ala Phe Leu Ile Gly Ser Ser Lys Ser Gly Asp Gly

910

915

920

aat ggc cac gct tta tct gcg gca gac gcc gtt atc ttg gat cac ggt 2832

Asn Gly His Ala Leu Ser Ala Ala Asp Ala Val Ile Leu Asp His Gly

925

930

935

940

gct acc aac gag ata aac gcg aag ttg cag caa atc ctt ccc cag cat 2880

Ala Thr Asn Glu Ile Asn Ala Lys Leu Gln Gln Ile Leu Pro Gln His

945

950

955

tcc gtt cca tcc tat tat atc cac atg gaa aat ctt cct cga act gcc 2928

Ser Val Pro Ser Tyr Tyr Ile His Met Glu Asn Leu Pro Arg Thr Ala

960

965

970

acc ggc aaa gcg gac agg aaa atg ctt cga tct att gct agc aag cta 2976

Thr Gly Lys Ala Asp Arg Lys Met Leu Arg Ser Ile Ala Ser Lys Leu

975

980

985

ttg ggt gaa ttg tct cag aac gtg aca tct caa ccg att gag aag cac 3024

Leu Gly Glu Leu Ser Gln Asn Val Thr Ser Gln Pro Ile Glu Lys His

990

995

1000

gat gcc cca gca act ggt ata gag gtc aag ctg aag gag ctt tgg ttt 3072

Asp Ala Pro Ala Thr Gly Ile Glu Val Lys Leu Lys Glu Leu Trp Phe

1005

1010

1015

1020

ctg agc ttg aat ctt aat ccc aac tct caa gat gtc gga gcg agt ttc 3120

Leu Ser Leu Asn Leu Asn Pro Asn Ser Gln Asp Val Gly Ala Ser Phe

1025

1030

1035

ttt gac tta ggc gga aat tcc att atc gcc atc aaa atg gta aac atg	3168
Phe Asp Leu Gly Gly Asn Ser Ile Ile Ala Ile Lys Met Val Asn Met	
1040 1045 1050	
gcg agg tca gct ggg ata gca ctg aag gta tcc gac ata ttc cag aat	3216
Ala Arg Ser Ala Gly Ile Ala Leu Lys Val Ser Asp Ile Phe Gln Asn	
1055 1060 1065	
ccc acg ctc gcc ggc ctt gtg gat gtc atc ggg cga gac ccg gct ccg	3264
Pro Thr Leu Ala Gly Leu Val Asp Val Ile Gly Arg Asp Pro Ala Pro	
1070 1075 1080	
tac aac ctc atc cca aca aca gca tac agc gga cct gtt gag cag tcg	3312
Tyr Asn Leu Ile Pro Thr Thr Ala Tyr Ser Gly Pro Val Glu Gln Ser	
1085 1090 1095 1100	
ttc gcc cag ggc cgt cta tgg ttc ttg gac cag atc gaa ctc gat gcg	3360
Phe Ala Gln Gly Arg Leu Trp Phe Leu Asp Gln Ile Glu Leu Asp Ala	
1105 1110 1115	
ttg tgg tac ctt cta cca tac gcc gtt cgc atg cgc ggg cca ttg cat	3408
Leu Trp Tyr Leu Leu Pro Tyr Ala Val Arg Met Arg Gly Pro Leu His	
1120 1125 1130	
att gat gcg ctc act att gcg ttg cta gct ata cag caa cga cat gaa	3456
Ile Asp Ala Leu Thr Ile Ala Leu Leu Ala Ile Gln Gln Arg His Glu	
1135 1140 1145	

acc ttg cgg aca acc ttt gag gag cag gac ggc gta ggc gtt cag gtt	3504
Thr Leu Arg Thr Thr Phe Glu Glu Gln Asp Gly Val Gly Val Gln Val	
1150 1155 1160	
gtc cat gcg agc ccc atc tcc gac ttg agg ata atc gac gta tca ggc	3552
Val His Ala Ser Pro Ile Ser Asp Leu Arg Ile Ile Asp Val Ser Gly	
1165 1170 1175 1180	
gac cga aac agt gac tac ctc cag ttg cta cac caa gag cag acg act	3600
Asp Arg Asn Ser Asp Tyr Leu Gln Leu Leu His Gln Glu Gln Thr Thr	
1185 1190 1195	
cca ttc att cta gca tgt cag gca gga tgg agg gta tca ctg att aga	3648
Pro Phe Ile Leu Ala Cys Gln Ala Gly Trp Arg Val Ser Leu Ile Arg	
1200 1205 1210	
cta gga gaa gat gat cac atc ctc tct atc gta atg cat cac atc atc	3696
Leu Gly Glu Asp Asp His Ile Leu Ser Ile Val Met His His Ile Ile	
1215 1220 1225	
tcc gac ggc tgg tct atc gac att cta cgc cgg gaa cta agc aat ttc	3744
Ser Asp Gly Trp Ser Ile Asp Ile Leu Arg Arg Glu Leu Ser Asn Phe	
1230 1235 1240	
tat tca gcc gct ctc cgg ggc tct gat cct cta tcg gtg gtg agc cca	3792
Tyr Ser Ala Ala Leu Arg Gly Ser Asp Pro Leu Ser Val Val Ser Pro	
1245 1250 1255 1260	
ctc cca ctc cac tac cgc gac ttt tcc gtt tgg caa aag cag gtc gaa	3840

Leu Pro Leu His Tyr Arg Asp Phe Ser Val Trp Gln Lys Gln Val Glu
1265 1270 1275

cag gag acc gaa cat gag cgg caa ctc gaa tac tgg gtc aag cag ctc 3888
Gln Glu Thr Glu His Glu Arg Gln Leu Glu Tyr Trp Val Lys Gln Leu
1280 1285 1290

gca gac agc tcg gcc gcc gaa ttc cta acc gac ttc ccc cga ccc aac 3936
Ala Asp Ser Ser Ala Ala Glu Phe Leu Thr Asp Phe Pro Arg Pro Asn
1295 1300 1305

ata ctg tcc ggt gaa gca ggt tcc gtg cca gtg acg atc gaa ggc gaa 3984
Ile Leu Ser Gly Glu Ala Gly Ser Val Pro Val Thr Ile Glu Gly Glu
1310 1315 1320

ctg tat gaa agg ctc caa gaa ttc tgt aaa gta gag caa atg acg cct 4032
Leu Tyr Glu Arg Leu Gln Glu Phe Cys Lys Val Glu Gln Met Thr Pro
1325 1330 1335 1340

ttc gcc gtg ttg tta ggg gcc ttc cgc gcg acc cat tat cgt ctc acc 4080
Phe Ala Val Leu Leu Gly Ala Phe Arg Ala Thr His Tyr Arg Leu Thr
1345 1350 1355

ggc gcc gaa gac tcg atc atc ggc acg ccc atc gcg aac cgc aac cgc 4128
Gly Ala Glu Asp Ser Ile Ile Gly Thr Pro Ile Ala Asn Arg Asn Arg
1360 1365 1370

cag gag ctt gaa aac atg atc ggc ttc ttc gtc aac acc caa tgc atg 4176
Gln Glu Leu Glu Asn Met Ile Gly Phe Phe Val Asn Thr Gln Cys Met

1375	1380	1385	
cga atc acg gtc gac ggc gac gac act ttt gaa agc ctg gtg cga caa			4224
Arg Ile Thr Val Asp Gly Asp Asp Thr Phe Glu Ser Leu Val Arg Gln			
1390	1395	1400	
gtt cgg acc acg gcg acg gcg gca ttc gag cac caa gac gtc ccc ttt			4272
Val Arg Thr Thr Ala Thr Ala Ala Phe Glu His Gln Asp Val Pro Phe			
1405	1410	1415	1420
gag cgc gtc gtg acg gca ctc ctt cca cgc tcg aga gac cta tcc cga			4320
Glu Arg Val Val Thr Ala Leu Leu Pro Arg Ser Arg Asp Leu Ser Arg			
1425	1430	1435	
aac cca cta gca cag ctc acc ttc gct ctt cat tct caa cag gac ctc			4368
Asn Pro Leu Ala Gln Leu Thr Phe Ala Leu His Ser Gln Gln Asp Leu			
1440	1445	1450	
ggc aag ttc gag ctg gag ggt ctc gta gcg gaa ccc gtc tcg aac aag			4416
Gly Lys Phe Glu Leu Glu Gly Leu Val Ala Glu Pro Val Ser Asn Lys			
1455	1460	1465	
gta tac acc agg ttc gac gtg gag ttt cac ctg ttc caa gaa gcc gga			4464
Val Tyr Thr Arg Phe Asp Val Glu Phe His Leu Phe Gln Glu Ala Gly			
1470	1475	1480	
aga cta agc ggt aac gtg gca ttt gcg gca gat cta ttc aag cct gag			4512
Arg Leu Ser Gly Asn Val Ala Phe Ala Ala Asp Leu Phe Lys Pro Glu			
1485	1490	1495	1500

acc att agc aat gta gtc gcc ata ttt ttc caa atc ctg cga caa ggc 4560
 Thr Ile Ser Asn Val Val Ala Ile Phe Phe Gln Ile Leu Arg Gln Gly
 1505 1510 1515

att cgc cag cct cgg act cca atc gct gtt ctc ccg ctt acc gat ggg 4608
 Ile Arg Gln Pro Arg Thr Pro Ile Ala Val Leu Pro Leu Thr Asp Gly
 1520 1525 1530

tta gcg gac ctt cgt gcc atg ggc ttg ctt gag atc gag aag gca gaa 4656
 Leu Ala Asp Leu Arg Ala Met Gly Leu Leu Glu Ile Glu Lys Ala Glu
 1535 1540 1545

tac ccg cgg gag tcg agc gtc gtc gac gtc ttc cgc aag cag gtg gcc 4704
 Tyr Pro Arg Glu Ser Ser Val Val Asp Val Phe Arg Lys Gln Val Ala
 1550 1555 1560

gct cac ccg cac gct ttt gcc gtt gtc gat tcg gca tcg cgc ctc aca 4752
 Ala His Pro His Ala Phe Ala Val Val Asp Ser Ala Ser Arg Leu Thr
 1565 1570 1575 1580

tat gct gat ctc gat cgt caa tcc gat caa ctc gcg acc tgg ctc ggt 4800
 Tyr Ala Asp Leu Asp Arg Gln Ser Asp Gln Leu Ala Thr Trp Leu Gly
 1585 1590 1595

cgg cgc aat atg acg gct gag acg ctg gtc ggg gtg tta gca ccg cgg 4848
 Arg Arg Asn Met Thr Ala Glu Thr Leu Val Gly Val Leu Ala Pro Arg
 1600 1605 1610

tca tgt caa aca gtt gtt gcc att tta ggt atc ctg aaa gcg aat ctc	4896
Ser Cys Gln Thr Val Val Ala Ile Leu Gly Ile Leu Lys Ala Asn Leu	
1615 1620 1625	
gca tat ctc ccg ctt gat gtg aat tgt cct acc gcc cgc ctg caa aca	4944
Ala Tyr Leu Pro Leu Asp Val Asn Cys Pro Thr Ala Arg Leu Gln Thr	
1630 1635 1640	
atc cta tct aca ttg aat cgg cac aag ttg gtc cta ctc ggc tct aac	4992
Ile Leu Ser Thr Leu Asn Arg His Lys Leu Val Leu Leu Gly Ser Asn	
1645 1650 1655 1660	
gca act act ccg gat gtc cag ata cct gat gta gag ctg gta cga atc	5040
Ala Thr Thr Pro Asp Val Gln Ile Pro Asp Val Glu Leu Val Arg Ile	
1665 1670 1675	
agc gat atc tta gat cgc ccc atc aat ggc cag gca aag cta aat ggt	5088
Ser Asp Ile Leu Asp Arg Pro Ile Asn Gly Gln Ala Lys Leu Asn Gly	
1680 1685 1690	
cat aca aaa tcg aat ggc tac tca aag cca aac ggc tat acg cat ctg	5136
His Thr Lys Ser Asn Gly Tyr Ser Lys Pro Asn Gly Tyr Thr His Leu	
1695 1700 1705	
aaa ggc tat tca aac cta aac ggt tat tca aaa caa aat ggt tat gca	5184
Lys Gly Tyr Ser Asn Leu Asn Gly Tyr Ser Lys Gln Asn Gly Tyr Ala	
1710 1715 1720	
caa ctc aac ggc cat aga gag cgt aac aat tat tta gat cta aat ggg	5232

1840	1845	1850	
gcg tta ctc acg ccc gct ttg ttg aag cag tgc cta gcc aac att ccc	5616		
Ala Leu Leu Thr Pro Ala Leu Leu Lys Gln Cys Leu Ala Asn Ile Pro			
1855	1860	1865	
act acc cta ggc agg ctg agt gca ctc gtt att gga ggt gat agg ctt	5664		
Thr Thr Leu Gly Arg Leu Ser Ala Leu Val Ile Gly Gly Asp Arg Leu			
1870	1875	1880	
gac ggc caa gac gcg atc gca gca cat gcg ctt gtc ggt gct ggc gtg	5712		
Asp Gly Gln Asp Ala Ile Ala Ala His Ala Leu Val Gly Ala Gly Val			
1885	1890	1895	1900
tat aat gcg tat ggc ccg acc gaa aac gga gtg atc agt acg att tat	5760		
Tyr Asn Ala Tyr Gly Pro Thr Glu Asn Gly Val Ile Ser Thr Ile Tyr			
1905	1910	1915	
aat atc act aaa aac gac tcg ttc atc aac gga gtc ccc atc ggc tgt	5808		
Asn Ile Thr Lys Asn Asp Ser Phe Ile Asn Gly Val Pro Ile Gly Cys			
1920	1925	1930	
gca atc agc aat tcc ggc gcc tac atc aca gac cca gac cag cag ctc	5856		
Ala Ile Ser Asn Ser Gly Ala Tyr Ile Thr Asp Pro Asp Gln Gln Leu			
1935	1940	1945	
gta cct cct ggc gtc atg ggt gaa ctc gtc gtt acc ggt gac ggg ctc	5904		
Val Pro Pro Gly Val Met Gly Glu Leu Val Val Thr Gly Asp Gly Leu			
1950	1955	1960	

gcg cgg ggg tat aca gac cca gca cta gac gcg ggc cgc ttc gtc cag	5952
Ala Arg Gly Tyr Thr Asp Pro Ala Leu Asp Ala Gly Arg Phe Val Gln	
1965 1970 1975 1980	
atc atg atc aat gac aag gcc gtg agg gcg tac cga acg ggt gac cgg	6000
Ile Met Ile Asn Asp Lys Ala Val Arg Ala Tyr Arg Thr Gly Asp Arg	
1985 1990 1995	
gca cga tat cgc gta gga gac ggt cag atc gag ttc ttc gga cgc atg	6048
Ala Arg Tyr Arg Val Gly Asp Gly Gln Ile Glu Phe Phe Gly Arg Met	
2000 2005 2010	
gat cag caa gtc aag atc cga ggt cac cgc att gaa cca gcc gaa gtg	6096
Asp Gln Gln Val Lys Ile Arg Gly His Arg Ile Glu Pro Ala Glu Val	
2015 2020 2025	
gag cgt gct att ctc gac caa gac tcg gcc cgc gac gcc gtc gtt gtc	6144
Glu Arg Ala Ile Leu Asp Gln Asp Ser Ala Arg Asp Ala Val Val Val	
2030 2035 2040	
atc cgg cac caa gaa ggt gaa gaa ccg gag atg gtt ggt ttc gtc gcg	6192
Ile Arg His Gln Glu Gly Glu Glu Pro Glu Met Val Gly Phe Val Ala	
2045 2050 2055 2060	
acc cac ggc gat cac tct gcc gaa caa gag gaa gca gac gac cag gtt	6240
Thr His Gly Asp His Ser Ala Glu Gln Glu Glu Ala Asp Asp Gln Val	
2065 2070 2075	

gaa ggt tgg aaa gac ttc ttc gag agc aat aca tat gcc gac atg gat	6288
Glu Gly Trp Lys Asp Phe Phe Glu Ser Asn Thr Tyr Ala Asp Met Asp	
2080 2085 2090	
acc atc ggc cag tct gct ata ggc aac gac ttt acg ggc tgg acg tcc	6336
Thr Ile Gly Gln Ser Ala Ile Gly Asn Asp Phe Thr Gly Trp Thr Ser	
2095 2100 2105	
atg tac gac ggg agc gag atc aac aag gcc gag atg cag gag tgg ctc	6384
Met Tyr Asp Gly Ser Glu Ile Asn Lys Ala Glu Met Gln Glu Trp Leu	
2110 2115 2120	
gac gac acc atg cgc aca ctc ctc gat ggc caa gcg ccg ggt cac gta	6432
Asp Asp Thr Met Arg Thr Leu Leu Asp Gly Gln Ala Pro Gly His Val	
2125 2130 2135 2140	
ctc gaa ata ggc aca ggc agt ggc atg gta ttg ttt aac tta ggg gcc	6480
Leu Glu Ile Gly Thr Gly Ser Gly Met Val Leu Phe Asn Leu Gly Ala	
2145 2150 2155	
ggg cta caa agc tac gta ggt ctt gaa cca tct aga tct gca gcc acg	6528
Gly Leu Gln Ser Tyr Val Gly Leu Glu Pro Ser Arg Ser Ala Ala Thr	
2160 2165 2170	
ttt gtt acc aaa gcg atc aat tcc acc cca gct ctt gca gga aag gcc	6576
Phe Val Thr Lys Ala Ile Asn Ser Thr Pro Ala Leu Ala Gly Lys Ala	
2175 2180 2185	
gaa gtg cac gtc ggc aca gcg aca gac ata aac cga ctt cgt gga ctt	6624

Glu Val His Val Gly Thr Ala Thr Asp Ile Asn Arg Leu Arg Gly Leu	
2190	2195 2200
cgt ccc gat cta gtt gtg ctc aac tcg gta gtc cag tat ttc ccc acg	6672
Arg Pro Asp Leu Val Val Leu Asn Ser Val Val Gln Tyr Phe Pro Thr	
2205	2210 2215 2220
ccc gag tac cta cta gag gtc gtg gag agt ctc gtc cgg att ccg ggc	6720
Pro Glu Tyr Leu Leu Glu Val Val Glu Ser Leu Val Arg Ile Pro Gly	
2225	2230 2235
gtc aag cgc gtg gtc ttc ggc gac ata cga tct cac gcc acg aac aga	6768
Val Lys Arg Val Val Phe Gly Asp Ile Arg Ser His Ala Thr Asn Arg	
2240	2245 2250
cat ttt ctt gct gcc agg gcg ctg cat tcg ctg ggc tcc aag gcg acc	6816
His Phe Leu Ala Ala Arg Ala Leu His Ser Leu Gly Ser Lys Ala Thr	
2255	2260 2265
aaa gat gct ata cgt caa aag atg acg gag atg gaa gag cgc gag gaa	6864
Lys Asp Ala Ile Arg Gln Lys Met Thr Glu Met Glu Glu Arg Glu Glu	
2270	2275 2280
gag ctg ctc gtc gac ccg gcc ttc ttc acg gcg ctg ctg cag ggc cag	6912
Glu Leu Leu Val Asp Pro Ala Phe Phe Thr Ala Leu Leu Gln Gly Gln	
2285	2290 2295 2300
ctt gcc gat cga atc aag cac gtc gag atc ctc ccg aag aac atg cgc	6960
Leu Ala Asp Arg Ile Lys His Val Glu Ile Leu Pro Lys Asn Met Arg	

2305	2310	2315	
gcc acg aac gag ctg agc gcg tac cgg tat aca gcc gtc att cac gta			7008
Ala Thr Asn Glu Leu Ser Ala Tyr Arg Tyr Thr Ala Val Ile His Val			
2320	2325	2330	
cgc ggc cca gag gaa cag tcg cgg ccc gtg tat ccg atc caa gtg aac			7056
Arg Gly Pro Glu Glu Gln Ser Arg Pro Val Tyr Pro Ile Gln Val Asn			
2335	2340	2345	
gac tgg atc gac ttt cag gcc tca cgc att gac cgc cgc gcc ctt ctc			7104
Asp Trp Ile Asp Phe Gln Ala Ser Arg Ile Asp Arg Arg Ala Leu Leu			
2350	2355	2360	
cga ctc cta cag cgc tcg gca gac gcc gcg acc gtc gcc gtc agc aac			7152
Arg Leu Leu Gln Arg Ser Ala Asp Ala Ala Thr Val Ala Val Ser Asn			
2365	2370	2375	2380
atc ccc tac agc aag acg att gta gaa cgc cat gtc gtc gag tcc ctt			7200
Ile Pro Tyr Ser Lys Thr Ile Val Glu Arg His Val Val Glu Ser Leu			
2385	2390	2395	
gac aat aac aac agg gag aat acg cat aga gca cca gac ggc gcg gct			7248
Asp Asn Asn Asn Arg Glu Asn Thr His Arg Ala Pro Asp Gly Ala Ala			
2400	2405	2410	
tgg atc tcg gcc gtc cgc tcc aag gcc gag cgc tgc acg tcc ctc tcc			7296
Trp Ile Ser Ala Val Arg Ser Lys Ala Glu Arg Cys Thr Ser Leu Ser			
2415	2420	2425	

gtg acc gat ctt gtg cag ctc ggg gaa gaa gcc ggc ttt cgc gta gaa	7344
Val Thr Asp Leu Val Gln Leu Gly Glu Glu Ala Gly Phe Arg Val Glu	
2430 2435 2440	
gtc agc gca gcg cgg cag tgg tct caa agc ggc gcg ctc gat gcc gtc	7392
Val Ser Ala Ala Arg Gln Trp Ser Gln Ser Gly Ala Leu Asp Ala Val	
2445 2450 2455 2460	
ttt cac cgc tat aat ttg ccc act caa agc aat agt cgc gtt ctg att	7440
Phe His Arg Tyr Asn Leu Pro Thr Gln Ser Asn Ser Arg Val Leu Ile	
2465 2470 2475	
cag ttc cct acc gaa gat ggc cag acg cga aga tcc gcc act ctg aca	7488
Gln Phe Pro Thr Glu Asp Gly Gln Thr Arg Arg Ser Ala Thr Leu Thr	
2480 2485 2490	
aac cga cca cta cag cgt ctg cag agc cgt cgg ttc gca tca cag atc	7536
Asn Arg Pro Leu Gln Arg Leu Gln Ser Arg Arg Phe Ala Ser Gln Ile	
2495 2500 2505	
cgc gaa cag ctg aag gcc gtg ctc ccg tca tac atg atc ccc tcc cgc	7584
Arg Glu Gln Leu Lys Ala Val Leu Pro Ser Tyr Met Ile Pro Ser Arg	
2510 2515 2520	
atc gtg gtc ata gac cag atg cct ctc aat gcc aat ggc aag gtc gac	7632
Ile Val Val Ile Asp Gln Met Pro Leu Asn Ala Asn Gly Lys Val Asp	
2525 2530 2535 2540	

cgg aaa gaa ctt acc aga agg gcc caa atc gcg ccg aaa tct cag gcg	7680
Arg Lys Glu Leu Thr Arg Arg Ala Gln Ile Ala Pro Lys Ser Gln Ala	
2545	2550 2555
gct ccc gcc aaa ccc gtc aaa cag gtc gat ccg ttc gtc aac ctg gaa	7728
Ala Pro Ala Lys Pro Val Lys Gln Val Asp Pro Phe Val Asn Leu Glu	
2560	2565 2570
gcc att tta tgt gag gag ttc gcg gag gtg ctg ggc atg gaa gtc ggc	7776
Ala Ile Leu Cys Glu Glu Phe Ala Glu Val Leu Gly Met Glu Val Gly	
2575	2580 2585
gtg aac gac cac ttc ttc caa cta ggc gga cac tct ctc ttg gcc acg	7824
Val Asn Asp His Phe Phe Gln Leu Gly Gly His Ser Leu Leu Ala Thr	
2590	2595 2600
aag ctc gtc gcg cgt ctc agt cgt ccg cta aac ggt cgt gtg tct gtg	7872
Lys Leu Val Ala Arg Leu Ser Arg Arg Leu Asn Gly Arg Val Ser Val	
2605	2610 2615 2620
agg gat gtg ttc gac cag cct gtg att tcc gac ctc gca gtc acc ctc	7920
Arg Asp Val Phe Asp Gln Pro Val Ile Ser Asp Leu Ala Val Thr Leu	
2625	2630 2635
cgc cag gga ctg acc ttg gaa aac gcc att ccc gca acg ccg gac agc	7968
Arg Gln Gly Leu Thr Leu Glu Asn Ala Ile Pro Ala Thr Pro Asp Ser	
2640	2645 2650
ggg tat tgg gag cag aca atg tcc gca ccg aca acc ccg agc gac gac	8016

Gly Tyr Trp Glu Gln Thr Met Ser Ala Pro Thr Thr Pro Ser Asp Asp

2655

2660

2665

atg gag gcc gtg cta tgc aag gag ttt gcg gat gtg ctt ggc gtc gaa 8064

Met Glu Ala Val Leu Cys Lys Glu Phe Ala Asp Val Leu Gly Val Glu

2670

2675

2680

gtc agc gcc acc gac agc ttc ttc gat ctc ggt ggg cat tcc ctc atg 8112

Val Ser Ala Thr Asp Ser Phe Phe Asp Leu Gly Gly His Ser Leu Met

2685

2690

2695

2700

gct acg aag ctc gct gcg cgt att agc cgt cgg cta gat gta ccg gtg 8160

Ala Thr Lys Leu Ala Ala Arg Ile Ser Arg Arg Leu Asp Val Pro Val

2705

2710

2715

tca atc aaa gac ata ttc gat cac tca gtt cct cta aac ctt gcg agg 8208

Ser Ile Lys Asp Ile Phe Asp His Ser Val Pro Leu Asn Leu Ala Arg

2720

2725

2730

aag att cgg ctc act caa gca aaa ggc cac gaa gcg acc aat gga gta 8256

Lys Ile Arg Leu Thr Gln Ala Lys Gly His Glu Ala Thr Asn Gly Val

2735

2740

2745

caa atc gcc aac gac gcc cca ttc caa ctc att tcc gta gaa gat cca 8304

Gln Ile Ala Asn Asp Ala Pro Phe Gln Leu Ile Ser Val Glu Asp Pro

2750

2755

2760

gag ata ttc gtc caa cgt gaa atc gcc cct caa cta caa tgc tca ccc 8352

Glu Ile Phe Val Gln Arg Glu Ile Ala Pro Gln Leu Gln Cys Ser Pro

2765	2770	2775	2780	
gag aca atc cta gac gtc tac ccc gcc acg caa atg caa agg gtc ttc				8400
Glu Thr Ile Leu Asp Val Tyr Pro Ala Thr Gln Met Gln Arg Val Phe				
	2785	2790	2795	
ctc ctc aac cca gta aca gga aag ccg cgc tca cca acg cca ttt cac				8448
Leu Leu Asn Pro Val Thr Gly Lys Pro Arg Ser Pro Thr Pro Phe His				
	2800	2805	2810	
ata gac ttc ccg ccg gac gca gac tgc gcc agc ctg atg cgg gca tgt				8496
Ile Asp Phe Pro Pro Asp Ala Asp Cys Ala Ser Leu Met Arg Ala Cys				
	2815	2820	2825	
gca tct cta gcg aag cat ttc gat atc ttc agg acg gtg ttc ctc gaa				8544
Ala Ser Leu Ala Lys His Phe Asp Ile Phe Arg Thr Val Phe Leu Glu				
	2830	2835	2840	
gcc aga ggc gaa ctc tac caa gta gtt cta aaa cac gtc gac gtg ccc				8592
Ala Arg Gly Glu Leu Tyr Gln Val Val Leu Lys His Val Asp Val Pro				
2845	2850	2855	2860	
atc gag atg ctc cag acc gaa gaa aac atc aac agc gcg acc cgg tcg				8640
Ile Glu Met Leu Gln Thr Glu Glu Asn Ile Asn Ser Ala Thr Arg Ser				
	2865	2870	2875	
ttc ctg gac gta gac gca gaa aaa ccc atc cgg cta ggc cag cca ctg				8688
Phe Leu Asp Val Asp Ala Glu Lys Pro Ile Arg Leu Gly Gln Pro Leu				
	2880	2885	2890	

atc cgc atc gcg ata cta gag aag ccc ggg tcc acg ctg cgc gtc atc	8736
Ile Arg Ile Ala Ile Leu Glu Lys Pro Gly Ser Thr Leu Arg Val Ile	
2895 2900 2905	
cta cga tta tcc cac gcc tta tac gac ggc ctg agc cta gag cac atc	8784
Leu Arg Leu Ser His Ala Leu Tyr Asp Gly Leu Ser Leu Glu His Ile	
2910 2915 2920	
ctg cac tct ctg cac atc ctc ttt ttc ggc ggc agt ctt ccc ccg ccg	8832
Leu His Ser Leu His Ile Leu Phe Phe Gly Gly Ser Leu Pro Pro Pro	
2925 2930 2935 2940	
ccc aag ttc gcc ggg tac atg caa cac gtc gcg agc agt cgc aga gaa	8880
Pro Lys Phe Ala Gly Tyr Met Gln His Val Ala Ser Ser Arg Arg Glu	
2945 2950 2955	
ggc tac gat ttc tgg cgt tcc gtt ctc cga gat tcg tct atg aca gtc	8928
Gly Tyr Asp Phe Trp Arg Ser Val Leu Arg Asp Ser Ser Met Thr Val	
2960 2965 2970	
atc aaa ggc aac aat aat aca act cca cca cct cct cct caa caa caa	8976
Ile Lys Gly Asn Asn Asn Thr Thr Pro Pro Pro Pro Pro Gln Gln Gln	
2975 2980 2985	
tcc acc ccc tcc gga gcc cac cac gcc tcc aaa gta gtc act atc cca	9024
Ser Thr Pro Ser Gly Ala His His Ala Ser Lys Val Val Thr Ile Pro	
2990 2995 3000	

acc caa gcc aac aca gac agc cgg atc acg cgc gcc acg atc ttc act	9072
Thr Gln Ala Asn Thr Asp Ser Arg Ile Thr Arg Ala Thr Ile Phe Thr	
3005 3010 3015 3020	
acc gct tgc gca cta atg ctc gcg aaa gaa gac aac tcc agc gac gtc	9120
Thr Ala Cys Ala Leu Met Leu Ala Lys Glu Asp Asn Ser Ser Asp Val	
3025 3030 3035	
gtc ttc ggg cgt acg gta tgc ggg cgt caa ggc ctg ccc cta gcc cac	9168
Val Phe Gly Arg Thr Val Ser Gly Arg Gln Gly Leu Pro Leu Ala His	
3040 3045 3050	
caa aac gtg atc gga cca tgt ctc aac caa gtg ccc gtg cgc gcg cgc	9216
Gln Asn Val Ile Gly Pro Cys Leu Asn Gln Val Pro Val Arg Ala Arg	
3055 3060 3065	
ggt tta aac cga gga acc act cac cac cga gaa ctt ctc cgc gag atg	9264
Gly Leu Asn Arg Gly Thr Thr His His Arg Glu Leu Leu Arg Glu Met	
3070 3075 3080	
caa gag caa tat ctc aac agt ctc gct ttc gaa act ctc ggg tac gac	9312
Gln Glu Gln Tyr Leu Asn Ser Leu Ala Phe Glu Thr Leu Gly Tyr Asp	
3085 3090 3095 3100	
gag atc aag gcg cac tgc aca gac tgg ccg gac gtg cca gcg acc gcg	9360
Glu Ile Lys Ala His Cys Thr Asp Trp Pro Asp Val Pro Ala Thr Ala	
3105 3110 3115	
agc ttc ggg tgc tgc atc gtg tac cag aac ttc gat tgc cac ccg gac	9408

Ser Phe Gly Cys Cys Ile Val Tyr Gln Asn Phe Asp Ser His Pro Asp

3120

3125

3130

agc cga gtc gaa gag cag cgg ctg cag atc ggg gtc ttg tcg cgg aac 9456

Ser Arg Val Glu Glu Gln Arg Leu Gln Ile Gly Val Leu Ser Arg Asn

3135

3140

3145

tac gag gct att aat gag ggg ctc gtg cat gat ctt gtt att gct ggg 9504

Tyr Glu Ala Ile Asn Glu Gly Leu Val His Asp Leu Val Ile Ala Gly

3150

3155

3160

gag tcg gag cct gat ggg gat gat ttg agg gtt act gtt gtg gcg aat 9552

Glu Ser Glu Pro Asp Gly Asp Asp Leu Arg Val Thr Val Val Ala Asn

3165

3170

3175

3180

cgg agg ttg tgc gat gag gaa agg ttg aag agg atg ctg gag gag ctg 9600

Arg Arg Leu Cys Asp Glu Glu Arg Leu Lys Arg Met Leu Glu Glu Leu

3185

3190

3195

tgt ggg aat att cgg gct ttg gcg ttg gtt tag 9633

Cys Gly Asn Ile Arg Ala Leu Ala Leu Val

3200

3205

<210> 2

<211> 3210

<212> PRT

<213> Mycelia sterilia

<400> 2

Met Ser Asn Met Ala Pro Leu Pro Thr Met Gly Val Glu Gln Gln Ala

1

5

10

15

Leu Ser Leu Ser Cys Pro Leu Leu Pro His Asp Asp Glu Lys His Ser

20

25

30

Asp Asn Leu Tyr Glu Gln Ala Thr Arg His Phe Gly Leu Ser Arg Asp

35

40

45

Lys Ile Glu Asn Val Leu Pro Cys Thr Ser Phe Gln Cys Asp Val Ile

50

55

60

Asp Cys Ala Val Asp Asp Arg Arg His Ala Ile Gly His Val Val Tyr

65

70

75

80

Asp Ile Pro Asn Thr Val Asp Ile Gln Arg Leu Ala Ala Ala Trp Lys

85

90

95

Glu Val Val Arg Gln Thr Pro Ile Leu Arg Thr Gly Ile Phe Thr Ser

100

105

110

Glu Thr Gly Asp Ser Phe Gln Ile Val Leu Lys Glu Gly Cys Leu Pro

115

120

125

Trp Met Tyr Ala Thr Cys Leu Gly Met Lys Gly Ala Val Ile Gln Asp

130

135

140

Glu Ala Val Ala Ala Met Thr Gly Pro Arg Cys Asn Arg Tyr Val Val

145	150	155	160
Leu Glu Asp Pro Ser Thr Lys Gln Arg Leu Leu Ile Trp Thr Phe Ser			
	165	170	175
His Ala Leu Val Asp Tyr Thr Val Gln Glu Arg Ile Leu Gln Arg Val			
	180	185	190
Leu Thr Val Tyr Asp Gly Arg Asp Val Glu Cys Pro Arg Ile Lys Asp			
	195	200	205
Thr Glu His Val Ser Arg Phe Trp Gln Gln His Phe Glu Gly Leu Asp			
	210	215	220
Ala Ser Val Phe Pro Leu Leu Pro Ser His Leu Thr Val Cys Asn Pro			
225	230	235	240
Asn Ala Arg Ala Glu His His Ile Ser Tyr Thr Gly Pro Val Gln Arg			
	245	250	255
Lys Trp Ser His Thr Ser Ile Cys Arg Ala Ala Leu Ala Val Leu Leu			
	260	265	270
Ser Arg Phe Thr His Ser Ser Glu Ala Leu Phe Gly Val Val Thr Glu			
	275	280	285
Gln Ser His Asn Ser Glu Asp Gln Arg Arg Ser Ile Asp Gly Pro Ala			
	290	295	300

Arg Thr Val Val Pro Ile Arg Val Leu Cys Ala Pro Asp Gln Tyr Val
305 310 315 320

Ser Asp Val Ile Gly Ala Ile Thr Ala His Glu His Ala Met Arg Gly
325 330 335

Phe Glu His Ala Gly Leu Arg Asn Ile Arg Arg Thr Gly Asp Asp Gly
340 345 350

Ser Ala Ala Cys Gly Phe Gln Thr Val Leu Leu Val Thr Asp Gly Asp
355 360 365

Ala Pro Lys Thr Pro Gly Ser Val Leu His Arg Ser Val Glu Glu Ser
370 375 380

Asp Arg Phe Met Pro Cys Ala Asn Arg Ala Leu Leu Leu Asp Cys Gln
385 390 395 400

Met Ala Gly Asn Ser Ala Ser Leu Val Ala Arg Tyr Asp His Asn Val
405 410 415

Ile Asp Pro Arg Gln Met Ser Arg Phe Leu Arg Gln Leu Gly Tyr Leu
420 425 430

Ile Gln Gln Phe His His His Val Asp Leu Pro Leu Val Lys Glu Leu
435 440 445

Asp Val Val Thr Ala Glu Asp Cys Ala Glu Ile Glu Lys Trp Asn Ser
450 455 460

Glu Arg Leu Thr Met Gln Asp Ala Leu Ile His Asp Thr Ile Ser Lys
465 470 475 480

Trp Ala Ala Gly Asp Pro Asn Lys Ala Ala Val Phe Ala Trp Asp Gly
 485 490 495

Glu Trp Thr Tyr Ala Glu Leu Asp Asn Ile Ser Ser Arg Leu Ala Val
 500 505 510

Tyr Ile Gln Ser Leu Asp Leu Arg Pro Gly Gln Ala Ile Leu Pro Leu
 515 520 525

Cys Phe Glu Lys Ser Lys Trp Val Val Ala Thr Ile Leu Ala Val Leu
 530 535 540

Lys Val Gly Arg Ala Phe Thr Leu Ile Asp Pro Cys Asp Pro Ser Ala
545 550 555 560

Arg Met Ala Gln Val Cys Gln Gln Thr Ser Ala Thr Val Ala Leu Thr
 565 570 575

Ser Lys Leu His Asn Thr Thr Leu Arg Ser Val Val Ser Arg Cys Ile
 580 585 590

Val Val Asp Asp Asp Leu Leu Arg Ser Leu Pro His Ala Asp Gly Arg
 595 600 605

Leu Lys Ala Thr Val Lys Pro Gln Asp Leu Ala Tyr Val Ile Phe Thr

610

615

620

Ser Gly Ser Thr Gly Glu Pro Lys Gly Ile Met Ile Glu His Arg Gly

625

630

635

640

Phe Val Ser Cys Ala Met Lys Phe Gly Pro Ala Leu Gly Met Asp Glu

645

650

655

His Thr Arg Ala Leu Gln Phe Ala Ser Tyr Ala Phe Gly Ala Cys Leu

660

665

670

Val Glu Val Val Thr Ala Leu Met His Gly Gly Cys Val Cys Ile Pro

675

680

685

Ser Asp Asp Asp Arg Leu Asn Asn Val Pro Glu Phe Ile Lys Arg Ala

690

695

700

Gln Val Asn Trp Val Ile Leu Thr Pro Ser Tyr Ile Gly Thr Phe Gln

705

710

715

720

Pro Glu Asp Val Pro Gly Leu Gln Thr Leu Val Leu Val Gly Glu Pro

725

730

735

Ile Ser Ala Ser Ile Arg Asp Thr Trp Ala Ser Gln Val Arg Leu Leu

740

745

750

Asn Ala Tyr Gly Gln Ser Glu Ser Ser Thr Met Cys Ser Val Thr Glu

755

760

765

Val Ser Pro Leu Ser Leu Glu Pro Asn Asn Ile Gly Arg Ala Val Gly
770 775 780

Ala Arg Ser Trp Ile Ile Asp Pro Asp Glu Pro Asp Arg Leu Ala Pro
785 790 795 800

Ile Gly Cys Ile Gly Glu Leu Val Ile Glu Ser Pro Gly Ile Ala Arg
805 810 815

Asp Tyr Ile Ile Ala Pro Pro Pro Asp Lys Ser Pro Phe Leu Leu Ala
820 825 830

Pro Pro Ala Trp Tyr Pro Ala Gly Lys Leu Ser Asn Ala Phe Lys Phe
835 840 845

Tyr Lys Thr Gly Asp Leu Val Arg Tyr Gly Pro Asp Gly Thr Ile Val
850 855 860

Cys Leu Gly Arg Lys Asp Ser Gln Val Lys Ile Arg Gly Gln Arg Val
865 870 875 880

Glu Ile Ser Ala Val Glu Ala Ser Leu Arg Arg Gln Leu Pro Ser Asp
885 890 895

Ile Met Pro Val Ala Glu Ala Ile Lys Arg Ser Asp Ser Ser Gly Ser
900 905 910

Thr Val Leu Thr Ala Phe Leu Ile Gly Ser Ser Lys Ser Gly Asp Gly

915

920

925

Asn Gly His Ala Leu Ser Ala Ala Asp Ala Val Ile Leu Asp His Gly

930

935

940

Ala Thr Asn Glu Ile Asn Ala Lys Leu Gln Gln Ile Leu Pro Gln His

945

950

955

960

Ser Val Pro Ser Tyr Tyr Ile His Met Glu Asn Leu Pro Arg Thr Ala

965

970

975

Thr Gly Lys Ala Asp Arg Lys Met Leu Arg Ser Ile Ala Ser Lys Leu

980

985

990

Leu Gly Glu Leu Ser Gln Asn Val Thr Ser Gln Pro Ile Glu Lys His

995

1000

1005

Asp Ala Pro Ala Thr Gly Ile Glu Val Lys Leu Lys Glu Leu Trp Phe

1010

1015

1020

Leu Ser Leu Asn Leu Asn Pro Asn Ser Gln Asp Val Gly Ala Ser Phe

1025

1030

1035

1040

Phe Asp Leu Gly Gly Asn Ser Ile Ile Ala Ile Lys Met Val Asn Met

1045

1050

1055

Ala Arg Ser Ala Gly Ile Ala Leu Lys Val Ser Asp Ile Phe Gln Asn

1060

1065

1070

Pro Thr Leu Ala Gly Leu Val Asp Val Ile Gly Arg Asp Pro Ala Pro
 1075 1080 1085

Tyr Asn Leu Ile Pro Thr Thr Ala Tyr Ser Gly Pro Val Glu Gln Ser
 1090 1095 1100

Phe Ala Gln Gly Arg Leu Trp Phe Leu Asp Gln Ile Glu Leu Asp Ala
 105 1110 1115 1120

Leu Trp Tyr Leu Leu Pro Tyr Ala Val Arg Met Arg Gly Pro Leu His
 1125 1130 1135

Ile Asp Ala Leu Thr Ile Ala Leu Leu Ala Ile Gln Gln Arg His Glu
 1140 1145 1150

Thr Leu Arg Thr Thr Phe Glu Glu Gln Asp Gly Val Gly Val Gln Val
 1155 1160 1165

Val His Ala Ser Pro Ile Ser Asp Leu Arg Ile Ile Asp Val Ser Gly
 1170 1175 1180

Asp Arg Asn Ser Asp Tyr Leu Gln Leu Leu His Gln Glu Gln Thr Thr
 185 1190 1195 1200

Pro Phe Ile Leu Ala Cys Gln Ala Gly Trp Arg Val Ser Leu Ile Arg
 1205 1210 1215

Leu Gly Glu Asp Asp His Ile Leu Ser Ile Val Met His His Ile Ile
 1220 1225 1230

Ser Asp Gly Trp Ser Ile Asp Ile Leu Arg Arg Glu Leu Ser Asn Phe
1235 1240 1245

Tyr Ser Ala Ala Leu Arg Gly Ser Asp Pro Leu Ser Val Val Ser Pro
1250 1255 1260

Leu Pro Leu His Tyr Arg Asp Phe Ser Val Trp Gln Lys Gln Val Glu
265 1270 1275 1280

Gln Glu Thr Glu His Glu Arg Gln Leu Glu Tyr Trp Val Lys Gln Leu
1285 1290 1295

Ala Asp Ser Ser Ala Ala Glu Phe Leu Thr Asp Phe Pro Arg Pro Asn
1300 1305 1310

Ile Leu Ser Gly Glu Ala Gly Ser Val Pro Val Thr Ile Glu Gly Glu
1315 1320 1325

Leu Tyr Glu Arg Leu Gln Glu Phe Cys Lys Val Glu Gln Met Thr Pro
1330 1335 1340

Phe Ala Val Leu Leu Gly Ala Phe Arg Ala Thr His Tyr Arg Leu Thr
345 1350 1355 1360

Gly Ala Glu Asp Ser Ile Ile Gly Thr Pro Ile Ala Asn Arg Asn Arg
1365 1370 1375

Gln Glu Leu Glu Asn Met Ile Gly Phe Phe Val Asn Thr Gln Cys Met

1380

1385

1390

Arg Ile Thr Val Asp Gly Asp Asp Thr Phe Glu Ser Leu Val Arg Gln

1395

1400

1405

Val Arg Thr Thr Ala Thr Ala Ala Phe Glu His Gln Asp Val Pro Phe

1410

1415

1420

Glu Arg Val Val Thr Ala Leu Leu Pro Arg Ser Arg Asp Leu Ser Arg

425

1430

1435

1440

Asn Pro Leu Ala Gln Leu Thr Phe Ala Leu His Ser Gln Gln Asp Leu

1445

1450

1455

Gly Lys Phe Glu Leu Glu Gly Leu Val Ala Glu Pro Val Ser Asn Lys

1460

1465

1470

Val Tyr Thr Arg Phe Asp Val Glu Phe His Leu Phe Gln Glu Ala Gly

1475

1480

1485

Arg Leu Ser Gly Asn Val Ala Phe Ala Ala Asp Leu Phe Lys Pro Glu

1490

1495

1500

Thr Ile Ser Asn Val Val Ala Ile Phe Phe Gln Ile Leu Arg Gln Gly

505

1510

1515

1520

Ile Arg Gln Pro Arg Thr Pro Ile Ala Val Leu Pro Leu Thr Asp Gly

1525

1530

1535

Leu Ala Asp Leu Arg Ala Met Gly Leu Leu Glu Ile Glu Lys Ala Glu
1540 1545 1550

Tyr Pro Arg Glu Ser Ser Val Val Asp Val Phe Arg Lys Gln Val Ala
1555 1560 1565

Ala His Pro His Ala Phe Ala Val Val Asp Ser Ala Ser Arg Leu Thr
1570 1575 1580

Tyr Ala Asp Leu Asp Arg Gln Ser Asp Gln Leu Ala Thr Trp Leu Gly
585 1590 1595 1600

Arg Arg Asn Met Thr Ala Glu Thr Leu Val Gly Val Leu Ala Pro Arg
1605 1610 1615

Ser Cys Gln Thr Val Val Ala Ile Leu Gly Ile Leu Lys Ala Asn Leu
1620 1625 1630

Ala Tyr Leu Pro Leu Asp Val Asn Cys Pro Thr Ala Arg Leu Gln Thr
1635 1640 1645

Ile Leu Ser Thr Leu Asn Arg His Lys Leu Val Leu Leu Gly Ser Asn
1650 1655 1660

Ala Thr Thr Pro Asp Val Gln Ile Pro Asp Val Glu Leu Val Arg Ile
665 1670 1675 1680

Ser Asp Ile Leu Asp Arg Pro Ile Asn Gly Gln Ala Lys Leu Asn Gly
1685 1690 1695

His Thr Lys Ser Asn Gly Tyr Ser Lys Pro Asn Gly Tyr Thr His Leu
1700 1705 1710

Lys Gly Tyr Ser Asn Leu Asn Gly Tyr Ser Lys Gln Asn Gly Tyr Ala
1715 1720 1725

Gln Leu Asn Gly His Arg Glu Arg Asn Asn Tyr Leu Asp Leu Asn Gly
1730 1735 1740

His Ser Leu Leu Asn Gly Asn Ser Asp Ile Thr Thr Ser Gly Pro Ser
745 1750 1755 1760

Ala Thr Ser Leu Ala Tyr Val Ile Phe Thr Ser Gly Ser Thr Gly Lys
1765 1770 1775

Pro Lys Gly Val Met Val Glu His Arg Ser Ile Ile Arg Leu Ala Lys
1780 1785 1790

Lys Asn Arg Ile Ile Ser Arg Phe Pro Ser Val Ala Lys Val Ala His
1795 1800 1805

Leu Ser Asn Ile Ala Phe Asp Ala Ala Thr Trp Glu Met Phe Ala Ala
1810 1815 1820

Leu Leu Asn Gly Gly Thr Leu Val Cys Ile Asp Tyr Met Thr Thr Leu
825 1830 1835 1840

Asp Ser Lys Thr Leu Glu Ala Ala Phe Ala Arg Glu Gln Ile Asn Ala

1845	1850	1855
Ala Leu Leu Thr Pro Ala Leu Leu Lys Gln Cys Leu Ala Asn Ile Pro		
1860	1865	1870
Thr Thr Leu Gly Arg Leu Ser Ala Leu Val Ile Gly Gly Asp Arg Leu		
1875	1880	1885
Asp Gly Gln Asp Ala Ile Ala Ala His Ala Leu Val Gly Ala Gly Val		
1890	1895	1900
Tyr Asn Ala Tyr Gly Pro Thr Glu Asn Gly Val Ile Ser Thr Ile Tyr		
905	1910	1915 1920
Asn Ile Thr Lys Asn Asp Ser Phe Ile Asn Gly Val Pro Ile Gly Cys		
1925	1930	1935
Ala Ile Ser Asn Ser Gly Ala Tyr Ile Thr Asp Pro Asp Gln Gln Leu		
1940	1945	1950
Val Pro Pro Gly Val Met Gly Glu Leu Val Val Thr Gly Asp Gly Leu		
1955	1960	1965
Ala Arg Gly Tyr Thr Asp Pro Ala Leu Asp Ala Gly Arg Phe Val Gln		
1970	1975	1980
Ile Met Ile Asn Asp Lys Ala Val Arg Ala Tyr Arg Thr Gly Asp Arg		
985	1990	1995 2000

Ala Arg Tyr Arg Val Gly Asp Gly Gln Ile Glu Phe Phe Gly Arg Met
2005 2010 2015

Asp Gln Gln Val Lys Ile Arg Gly His Arg Ile Glu Pro Ala Glu Val
2020 2025 2030

Glu Arg Ala Ile Leu Asp Gln Asp Ser Ala Arg Asp Ala Val Val Val
2035 2040 2045

Ile Arg His Gln Glu Gly Glu Glu Pro Glu Met Val Gly Phe Val Ala
2050 2055 2060

Thr His Gly Asp His Ser Ala Glu Gln Glu Glu Ala Asp Asp Gln Val
065 2070 2075 2080

Glu Gly Trp Lys Asp Phe Phe Glu Ser Asn Thr Tyr Ala Asp Met Asp
2085 2090 2095

Thr Ile Gly Gln Ser Ala Ile Gly Asn Asp Phe Thr Gly Trp Thr Ser
2100 2105 2110

Met Tyr Asp Gly Ser Glu Ile Asn Lys Ala Glu Met Gln Glu Trp Leu
2115 2120 2125

Asp Asp Thr Met Arg Thr Leu Leu Asp Gly Gln Ala Pro Gly His Val
2130 2135 2140

Leu Glu Ile Gly Thr Gly Ser Gly Met Val Leu Phe Asn Leu Gly Ala
145 2150 2155 2160

Gly Leu Gln Ser Tyr Val Gly Leu Glu Pro Ser Arg Ser Ala Ala Thr

2165

2170

2175

Phe Val Thr Lys Ala Ile Asn Ser Thr Pro Ala Leu Ala Gly Lys Ala

2180

2185

2190

Glu Val His Val Gly Thr Ala Thr Asp Ile Asn Arg Leu Arg Gly Leu

2195

2200

2205

Arg Pro Asp Leu Val Val Leu Asn Ser Val Val Gln Tyr Phe Pro Thr

2210

2215

2220

Pro Glu Tyr Leu Leu Glu Val Val Glu Ser Leu Val Arg Ile Pro Gly

2225

2230

2235

2240

Val Lys Arg Val Val Phe Gly Asp Ile Arg Ser His Ala Thr Asn Arg

2245

2250

2255

His Phe Leu Ala Ala Arg Ala Leu His Ser Leu Gly Ser Lys Ala Thr

2260

2265

2270

Lys Asp Ala Ile Arg Gln Lys Met Thr Glu Met Glu Glu Arg Glu Glu

2275

2280

2285

Glu Leu Leu Val Asp Pro Ala Phe Phe Thr Ala Leu Leu Gln Gly Gln

2290

2295

2300

Leu Ala Asp Arg Ile Lys His Val Glu Ile Leu Pro Lys Asn Met Arg

305 2310 2315 2320

Ala Thr Asn Glu Leu Ser Ala Tyr Arg Tyr Thr Ala Val Ile His Val

2325 2330 2335

Arg Gly Pro Glu Glu Gln Ser Arg Pro Val Tyr Pro Ile Gln Val Asn

2340 2345 2350

Asp Trp Ile Asp Phe Gln Ala Ser Arg Ile Asp Arg Arg Ala Leu Leu

2355 2360 2365

Arg Leu Leu Gln Arg Ser Ala Asp Ala Ala Thr Val Ala Val Ser Asn

2370 2375 2380

Ile Pro Tyr Ser Lys Thr Ile Val Glu Arg His Val Val Glu Ser Leu

385 2390 2395 2400

Asp Asn Asn Asn Arg Glu Asn Thr His Arg Ala Pro Asp Gly Ala Ala

2405 2410 2415

Trp Ile Ser Ala Val Arg Ser Lys Ala Glu Arg Cys Thr Ser Leu Ser

2420 2425 2430

Val Thr Asp Leu Val Gln Leu Gly Glu Glu Ala Gly Phe Arg Val Glu

2435 2440 2445

Val Ser Ala Ala Arg Gln Trp Ser Gln Ser Gly Ala Leu Asp Ala Val

2450 2455 2460

Phe His Arg Tyr Asn Leu Pro Thr Gln Ser Asn Ser Arg Val Leu Ile
465 2470 2475 2480

Gln Phe Pro Thr Glu Asp Gly Gln Thr Arg Arg Ser Ala Thr Leu Thr
 2485 2490 2495

Asn Arg Pro Leu Gln Arg Leu Gln Ser Arg Arg Phe Ala Ser Gln Ile
 2500 2505 2510

Arg Glu Gln Leu Lys Ala Val Leu Pro Ser Tyr Met Ile Pro Ser Arg
 2515 2520 2525

Ile Val Val Ile Asp Gln Met Pro Leu Asn Ala Asn Gly Lys Val Asp
 2530 2535 2540

Arg Lys Glu Leu Thr Arg Arg Ala Gln Ile Ala Pro Lys Ser Gln Ala
545 2550 2555 2560

Ala Pro Ala Lys Pro Val Lys Gln Val Asp Pro Phe Val Asn Leu Glu
 2565 2570 2575

Ala Ile Leu Cys Glu Glu Phe Ala Glu Val Leu Gly Met Glu Val Gly
 2580 2585 2590

Val Asn Asp His Phe Phe Gln Leu Gly Gly His Ser Leu Leu Ala Thr
 2595 2600 2605

Lys Leu Val Ala Arg Leu Ser Arg Arg Leu Asn Gly Arg Val Ser Val
 2610 2615 2620

Arg Asp Val Phe Asp Gln Pro Val Ile Ser Asp Leu Ala Val Thr Leu
625 2630 2635 2640

Arg Gln Gly Leu Thr Leu Glu Asn Ala Ile Pro Ala Thr Pro Asp Ser
 2645 2650 2655

Gly Tyr Trp Glu Gln Thr Met Ser Ala Pro Thr Thr Pro Ser Asp Asp
 2660 2665 2670

Met Glu Ala Val Leu Cys Lys Glu Phe Ala Asp Val Leu Gly Val Glu
 2675 2680 2685

Val Ser Ala Thr Asp Ser Phe Phe Asp Leu Gly Gly His Ser Leu Met
 2690 2695 2700

Ala Thr Lys Leu Ala Ala Arg Ile Ser Arg Arg Leu Asp Val Pro Val
705 2710 2715 2720

Ser Ile Lys Asp Ile Phe Asp His Ser Val Pro Leu Asn Leu Ala Arg
 2725 2730 2735

Lys Ile Arg Leu Thr Gln Ala Lys Gly His Glu Ala Thr Asn Gly Val
 2740 2745 2750

Gln Ile Ala Asn Asp Ala Pro Phe Gln Leu Ile Ser Val Glu Asp Pro
 2755 2760 2765

Glu Ile Phe Val Gln Arg Glu Ile Ala Pro Gln Leu Gln Cys Ser Pro

2770

2775

2780

Glu Thr Ile Leu Asp Val Tyr Pro Ala Thr Gln Met Gln Arg Val Phe

785

2790

2795

2800

Leu Leu Asn Pro Val Thr Gly Lys Pro Arg Ser Pro Thr Pro Phe His

2805

2810

2815

Ile Asp Phe Pro Pro Asp Ala Asp Cys Ala Ser Leu Met Arg Ala Cys

2820

2825

2830

Ala Ser Leu Ala Lys His Phe Asp Ile Phe Arg Thr Val Phe Leu Glu

2835

2840

2845

Ala Arg Gly Glu Leu Tyr Gln Val Val Leu Lys His Val Asp Val Pro

2850

2855

2860

Ile Glu Met Leu Gln Thr Glu Glu Asn Ile Asn Ser Ala Thr Arg Ser

865

2870

2875

2880

Phe Leu Asp Val Asp Ala Glu Lys Pro Ile Arg Leu Gly Gln Pro Leu

2885

2890

2895

Ile Arg Ile Ala Ile Leu Glu Lys Pro Gly Ser Thr Leu Arg Val Ile

2900

2905

2910

Leu Arg Leu Ser His Ala Leu Tyr Asp Gly Leu Ser Leu Glu His Ile

2915

2920

2925

Leu His Ser Leu His Ile Leu Phe Phe Gly Gly Ser Leu Pro Pro Pro
2930 2935 2940

Pro Lys Phe Ala Gly Tyr Met Gln His Val Ala Ser Ser Arg Arg Glu
945 2950 2955 2960

Gly Tyr Asp Phe Trp Arg Ser Val Leu Arg Asp Ser Ser Met Thr Val
2965 2970 2975

Ile Lys Gly Asn Asn Asn Thr Thr Pro Pro Pro Pro Pro Gln Gln Gln
2980 2985 2990

Ser Thr Pro Ser Gly Ala His His Ala Ser Lys Val Val Thr Ile Pro
2995 3000 3005

Thr Gln Ala Asn Thr Asp Ser Arg Ile Thr Arg Ala Thr Ile Phe Thr
3010 3015 3020

Thr Ala Cys Ala Leu Met Leu Ala Lys Glu Asp Asn Ser Ser Asp Val
025 3030 3035 3040

Val Phe Gly Arg Thr Val Ser Gly Arg Gln Gly Leu Pro Leu Ala His
3045 3050 3055

Gln Asn Val Ile Gly Pro Cys Leu Asn Gln Val Pro Val Arg Ala Arg
3060 3065 3070

Gly Leu Asn Arg Gly Thr Thr His His Arg Glu Leu Leu Arg Glu Met
3075 3080 3085

Gln Glu Gln Tyr Leu Asn Ser Leu Ala Phe Glu Thr Leu Gly Tyr Asp
 3090 3095 3100

Glu Ile Lys Ala His Cys Thr Asp Trp Pro Asp Val Pro Ala Thr Ala
 105 3110 3115 3120

Ser Phe Gly Cys Cys Ile Val Tyr Gln Asn Phe Asp Ser His Pro Asp
 3125 3130 3135

Ser Arg Val Glu Glu Gln Arg Leu Gln Ile Gly Val Leu Ser Arg Asn
 3140 3145 3150

Tyr Glu Ala Ile Asn Glu Gly Leu Val His Asp Leu Val Ile Ala Gly
 3155 3160 3165

Glu Ser Glu Pro Asp Gly Asp Asp Leu Arg Val Thr Val Val Ala Asn
 3170 3175 3180

Arg Arg Leu Cys Asp Glu Glu Arg Leu Lys Arg Met Leu Glu Glu Leu
 185 3190 3195 3200

Cys Gly Asn Ile Arg Ala Leu Ala Leu Val
 3205 3210

<210> 3

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:synthetic DNA

<400> 3

tggacnwsna tgtaygaygg

20

<210> 4

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:synthetic DNA

<400> 4

gtnggraart aytgnacnac

20

<210> 5

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:synthetic DNA

<400> 5

gcggaattaa ccctcactaa agggaacgaa

30

<210> 6

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:synthetic DNA

<400> 6

gcgtaatag actcactata gggcgaagaa

30

<210> 7

<211> 41

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:synthetic DNA

<400> 7

agcatcggat cctaacaatg ggcgttgagc agcaagccct a

41

<210> 8

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:synthetic DNA

<400> 8

tttgcttcgt actcgggtcc t

21

<210> 9

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:synthetic DNA

<400> 9

gcatcgcgat actagagaag

20

<210> 10

<211> 42

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:synthetic DNA

<400> 10

agcatcgaat tcggaaccct aaaccaacgc caaagccga at

42

<210> 11

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:synthetic DNA

<400> 11

tgatatgctg gagcttcct

20

<210> 12

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:synthetic DNA

<400> 12

gcacaacctc ttccaggct

20

整理番号=PM1577

提出日 平成12年 4月 6日
特願2000-104291

<210> 13

<211> 42

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:synthetic DNA

<400> 13

agcatcggat cctaacaatg tcaaacaatgg caccactccc ta

42

[Brief description of the drawings]

[Figure 1]

Figure 1 shows a construction procedure of plasmid pABP/PFsyn.

[Figure 2]

Figure 2 shows the results of electrophoresis of the proteins extracted from the parent strain and a gene-introduced strain into which pABP/PFsyn is introduced.

[Figure3]

Figure 3 shows the results of electrophoresis of the proteins extracted from the parent strain and a gene-introduced strain into which pABP/PFsynN is introduced.



BEST AVAILABLE COPY




FIG. 1



BEST AVAILABLE COPY




FIG. 2



BEST AVAILABLE COPY




FIG. 3



[TITLE OF DOCUMENT] ABSTRACT

[ABSTRACT]

[OBJECT OF THE INVENTION]

To provide a method for producing a cyclic depsipeptide having anthelmintic activity, a cyclic depsipeptide synthetase gene capable of improving productivity of the substance PF1022 and a protein coding therefor, a recombinant vector comprising the gene, and a substance PF1022-producing microorganism and substance PF1022 into which the recombinant vector is introduced.

[MEANS FOR ATTAINING THE OBJECT]

A gene encoding a cyclic depsipeptide synthetase enhancing the biosynthesis of the substance PF1022 is isolated from a substance PF1022-producing microorganism. A recombinant vector is prepared by the substitution of the promoter and terminator of the gene with those of a foreign gene utilizable for expression augmentation, and then the recombinant vector is introduced into the substance PF1022-producing microorganism, whereby the improvement in productivity of the substance PF1022 was attained.

[SELECTED FIGURE]

None